

## PHIDU data holdings, at June 2017:

### 1. National Data held by Population Health Area (PHA), Local Government Area (LGA) or Primary Health Network (PHN): whole population Atlas

| Topic/ Indicator  | Indicator detail  | Geography     | Time period          |
|---|---|---------------|----------------------|
| <b>Population demographics</b>  |   |               |                      |
| <b>Age distribution</b>   |   |               |                      |
| Age distribution: Males/Females/Persons: 5 yr age groups (ERP)                            | Age in 5 year age groups, 0-4 to 85+ yrs, Estimated Resident Population (ERP): Males/Females/Persons          | PHA, LGA, PHN | 2015                 |
| Age distribution: Males/Females/Persons: broad age groups (ERP)                           | Age in broad age groups: 0-14, 15-24, 25-44, 45-64, 65+, 70+, 75+, 85+ yrs, ERP: Males/Females/Persons        | PHA, LGA, PHN | 2015                 |
| <b>Population projections</b>   |   |               |                      |
| Population projections: Males/Females/Persons: 5 yr age groups (Projected 2020, 2025 ERP) | Age in 5 year age groups, 0-4 to 85+ yrs, Projected ERP: Males/Females/Persons                                | PHA, LGA, PHN | Projected 2020, 2025 |
| <b>Aboriginal population</b>  |   |               |                      |
| Aboriginal population: Males/Females/Persons (ERP) (non-ABS): 5 yr age groups             | Age in 5 yr age groups, 0-4 to 65+ yrs, estimated resident population (ERP) (non-ABS): Males/Females/Persons  | PHA, LGA, PHN | 2016                 |
| <b>Indigenous status</b>  |   |               |                      |
| Aboriginal population as per cent of total population (ERP) (non-ABS)                     | Aboriginal population as per cent of total population, ERP (non-ABS)  | PHA, LGA, PHN | 2016                 |
| Aboriginal population as per cent of total population: 5 yr age groups (ERP) (non-ABS)    | Aboriginal population as per cent of total population by 5 yr age groups: 0-4 years to 65+ yrs, ERP (non-ABS) | PHA, LGA, PHN | 2016                 |
| <b>Birthplace &amp; non-English speaking residents</b>                                    |   |               |                      |
| Australian-born population  | Australian-born population  | PHA, LGA, PHN | 2011                 |
| Born overseas in predominantly English speaking countries                                 | People born (overseas) in predominantly English speaking countries  | PHA, LGA, PHN | 2011                 |
| Born overseas in predominantly non-English speaking (NES) countries                       | People born in predominantly non-English speaking countries   | PHA, LGA, PHN | 2011                 |
| Longer term arrivals; born in NES countries   | People born in NES countries resident in Australia for five years or more                                     | PHA, LGA, PHN | 2011                 |
| Recent arrivals; born in NES countries  | People born in NES countries resident in Australia for less than five years                                   | PHA, LGA, PHN | 2011                 |
| Poor proficiency in English & born overseas   | People aged 5 yrs & over, born overseas, who speak English 'not well', or 'not at all'                        | PHA, LGA, PHN | 2011                 |
| Birthplace: Top ten non-English speaking countries of birth                               | China/India/Italy/Vietnam/Philippines/Malaysia/Germany/Greece/Sri Lanka & Lebanon                             | PHA, LGA, PHN | 2011                 |
| Fertility   | Total fertility rate  | LGA           | 2011                 |

| Topic/ Indicator   | Indicator detail  | Geography     | Time period |
|--|---|---------------|-------------|
| <b>Social indicators</b>   |   |               |             |
| <b>Education</b>   |   |               |             |
| Early school leavers   | People who left school at Year 10 or below, or did not go to school   | PHA, LGA, PHN | 2011        |
| Secondary school   | Full-time participation in secondary school education at age 16   | PHA, LGA, PHN | 2011        |
| VET – Participation in vocational education & training                           | Participation in vocational education & training: Aboriginal population/ non-Indigenous population/ total population  | PHA, LGA, PHN | 2015        |
| VET – Load pass rate of vocational education & training: government-funded hours | Load pass rate of vocational education and training subjects: government-funded hours   | PHA, LGA, PHN | 2015        |
| VET – Load pass rate of vocational education & training: private-funded hours    | Load pass rate of vocational education and training subjects: private-funded hours  | PHA, LGA, PHN | 2015        |
| VET – Load pass rate of vocational education & training subjects                 | Load pass rate of vocational education and training subjects: Aboriginal students/ non-Indigenous students/ total students  | PHA, LGA, PHN | 2015        |
| VET – Government-funded vocational education & training                          | Government-funded vocational education & training: Aboriginal students/ non-Indigenous students/ total students   | PHA, LGA, PHN | 2015        |
| Higher education   | School leavers enrolled in higher education   | PHA, LGA, PHN | 2016        |
| <b>Early childhood development</b>   |   |               |             |
| Australian Early Development Census (AEDC)                                       |   |               |             |
| - Developmentally vulnerable on one or more domains                              | Developmentally vulnerable on one or more domains   | PHA, LGA, PHN | 2015        |
| - Developmentally vulnerable on two or more domains                              | Developmentally vulnerable on two or more domains   | PHA, LGA, PHN | 2015        |
| - Physical health and wellbeing domain   | Physical health and wellbeing domain - developmentally vulnerable/ at risk/ on track  | PHA, LGA, PHN | 2015        |
| - Social competence domain   | Social competence domain - developmentally vulnerable/ at risk/ on track  | PHA, LGA, PHN | 2015        |
| - Emotional maturity   | Emotional maturity - developmentally vulnerable/ at risk/ on track  | PHA, LGA, PHN | 2015        |
| - Language and cognitive skills (schools-based) domain                           | Language and cognitive skills (schools-based) domain - developmentally vulnerable/ at risk/ on track  | PHA, LGA, PHN | 2015        |
| - Communication skills and general knowledge domain                              | Communication skills and general knowledge domain - developmentally vulnerable/ at risk/ on track   | PHA, LGA, PHN | 2015        |
| <b>Learning or Earning</b>   |   |               |             |
| Learning or Earning  | Learning or Earning at ages 15 to 19  | PHA, LGA, PHN | 2011        |
| <b>Families</b>  |   |               |             |
| Single parent families with children aged less than 15 years                     | Single parent families with children aged less than 15 years  | PHA, LGA, PHN | 2011        |
| Jobless families with children aged less than 15 years                           | Jobless families with children aged less than 15 years  | PHA, LGA, PHN | 2011        |
| Children aged less than 15 years in jobless families                             | Children aged less than 15 years in jobless families  | PHA, LGA, PHN | 2011        |
| Children in families where the mother has low educational attainment             | Children aged less than 15 years living in families where the female parent's highest level of schooling was year 10 or below, or where the female parent did not attend school | PHA, LGA, PHN | 2011        |

| Topic/ Indicator                               | Indicator detail   | Geography     | Time period |
|--|--|---------------|-------------|
| <b>Housing</b>                                 |  |               |             |
| Rent assistance from the Australian Government | Households in dwellings receiving rent assistance from the Australian Government | PHA, LGA, PHN | June 2016   |
| Housing authority dwellings being rented       | Dwellings rented from the government housing authority                           | PHA, LGA, PHN | 2011        |
| Housing stress – mortgage holders              | Low income households with mortgage stress                                       | PHA, LGA, PHN | 2011        |
| Housing stress – renters                       | Low income households with rental stress   | PHA, LGA, PHN | 2011        |
| Housing stress – mortgage holders & renters    | Low income households under financial stress from mortgage/rent                  | PHA, LGA, PHN | 2011        |
| No motor vehicle                               | Private dwellings with no motor vehicle  | PHA, LGA, PHN | 2011        |
| <b>Income support</b>                          |  |               |             |
| Age pensioners                                 | Age pensioners   | PHA, LGA, PHN | June 2016   |
| Disability support pensioners                  | Disability support pensioners  | PHA, LGA, PHN | June 2016   |
| Female sole parent pensioners                  | Female sole parent pensioners  | PHA, LGA, PHN | June 2016   |
| Unemployment beneficiaries                     | People receiving an unemployment benefit   | PHA, LGA, PHN | June 2016   |
| Long-term unemployment beneficiaries           | People receiving an unemployment benefit for longer than 6 months                | PHA, LGA, PHN | June 2016   |
| Youth unemployment beneficiaries               | Young people aged 16 to 24 receiving an unemployment benefit                     | PHA, LGA, PHN | June 2016   |
| Low income families (with children)            | Welfare-dependent & other low income families with children                      | PHA, LGA, PHN | June 2016   |
| Children in low income families                | Children in welfare-dependent & other low income families                        | PHA, LGA, PHN | June 2016   |
| Health Care Card holders                       | Health Care Card holders   | PHA, LGA, PHN | June 2016   |
| Pensioner Concession Card holders              | Pensioner Concession Card holders  | PHA, LGA, PHN | June 2016   |
| Seniors Health Card holders                    | Seniors Health Card holders  | PHA, LGA, PHN | June 2016   |
| <b>Internet access at home</b>                 |  |               |             |
| No Internet connection                         | Private dwellings with no Internet connection                                    | PHA, LGA, PHN | 2011        |
| Total Internet connections                     | Total private dwellings with Internet connections                                | PHA, LGA, PHN | 2011        |
| - Broadband Internet connection                | - Private dwellings with Broadband Internet connections                          | PHA, LGA, PHN | 2011        |
| - Dial-up Internet connection                  | - Private dwellings with Dial-up Internet connections                            | PHA, LGA, PHN | 2011        |
| - Other Internet connection                    | - Private dwellings with other Internet connections                              | PHA, LGA, PHN | 2011        |
| <b>Labour force</b>                            |  |               |             |
| Unemployment                                   | Unemployment   | PHA, LGA, PHN | June 2016   |
| Labour force participation                     | Labour force participation   | PHA, LGA, PHN | June 2016   |
| Female labour force participation              | Female labour force participation  | PHA, LGA      | 2011        |
| <b>Summary measure of disadvantage</b>         |  |               |             |
|  | Index of Relative Socio-economic Disadvantage                                    | PHA, LGA, PHN | 2011        |
| <b>Child care: unpaid</b>                      |  |               |             |
| Child care to own child/children (unpaid)      | Unpaid child care provided by people aged 15 yrs & over to own children          | PHA, LGA, PHN | 2011        |
| Child care to other child/children (unpaid)    | Unpaid child care provided by people aged 15 yrs & over to other children        | PHA, LGA, PHN | 2011        |
| Total (unpaid) child care                      | Total (unpaid) child care provided by people aged 15 yrs & over                  | PHA, LGA, PHN | 2011        |

| Topic/ Indicator   | Indicator detail   | Geography     | Time period |
|--|--|---------------|-------------|
| <b>Community strength and wellbeing: Modelled estimates (ABS General Social Survey, people aged 18 years and over) other than Voluntary work (ABS Census): in process of being updated</b> |  |               |             |
| <b>Community strengths</b>   |  |               |             |
| Voluntary work for an organisation or group (ABS Census)   | People 15 yrs & over who participated in voluntary work  | PHA, LGA, PHN | 2011        |
| Voluntary work for an organisation or group  | People who did unpaid voluntary work in the last 12 months   | PHA, LGA, PHN | 2014        |
| Support in times of crisis   | People able to get support in times of crisis from persons outside the household                           | PHA, LGA, PHN | 2014        |
| Support to other relatives living outside the household  | People (or their partner) who provide support to other relatives living outside the household              | PHA, LGA, PHN | 2014        |
| Feels very safe/safe walking alone in local area after dark  | People who feel very safe/safe walking alone in local area after dark                                      | PHA, LGA, PHN | 2014        |
| Disagree/strongly disagree with acceptance of other cultures   | People who disagree/strongly disagree with acceptance of other cultures                                    | PHA, LGA, PHN | 2014        |
| Felt they had experienced discrimination or been treated unfairly by others  | People who felt they had experienced discrimination or been treated unfairly by others                     | PHA, LGA, PHN | 2014        |
| <b>Personal and financial stressors</b>  |  |               |             |
| Households that could raise \$2,000 within a week  | People whose household could raise \$2,000 within a week   | PHA, LGA, PHN | 2014        |
| Government support as main source of income in last 2 years  | People who had government support as their main source of income in the last 2 years                       | PHA, LGA, PHN | 2014        |
| Government support as main source of income, for 12 months or more, within the past 24 months  | People who had government support as their main source of income, for 13 months or more, in past 24 months | PHA, LGA, PHN | 2014        |
| <b>Access to services: financial and transport barriers</b>  |  |               |             |
| Difficulty or can't get to places needed with transport  | People who often have a difficulty or can't get to places needed with transport                            | PHA, LGA, PHN | 2014        |
| Barriers to accessing healthcare   | People who experienced a barrier to accessing healthcare when needed                                       | PHA, LGA, PHN | 2014        |
| <b>Mothers &amp; babies</b>  |  |               |             |
| Low birth weight babies  | Low birth weight babies  | PHA, LGA, PHN | 2012–2014   |
| Smoking during pregnancy   | Mothers who reported smoking during pregnancy  | PHA, LGA, PHN | 2012–2014   |
| <b>Health status, disability and deaths</b>  |  |               |             |
| <b>Child and youth health</b>  |  |               |             |
| Immunisation, 1 yr of age  | Children fully immunised at 1 year of age  | PHA, LGA, PHN | 2015        |
| Immunisation, 2 yrs of age   | Children fully immunised at 2 years of age   | PHA, LGA, PHN | 2015        |
| Immunisation, 5 yrs of age   | Children fully immunised at 5 years of age   | PHA, LGA, PHN | 2015        |
| HPV, 12 and 13 year old girls (fully vaccinated)   | Per cent of 12-13 year olds at June 2013, with vaccination status by 2016                                  | PHA, LGA, PHN | 2013        |
| HPV, 12 and 13 year old boys (fully vaccinated)  | Per cent of 12-13 year olds at June 2013, with vaccination status by 2016                                  | PHA, LGA, PHN | 2013        |

| Topic/ Indicator   | Indicator detail   | Geography     | Time period                 |
|--|--|---------------|-----------------------------|
| Infant deaths  | Infant deaths per 1,000 live births  | PHA, LGA, PHN | 2010–2014                   |
| Child mortality  | Deaths of children aged 1 to 4 years   | PHN           | 2010–2014                   |
| Youth mortality  | Deaths of persons age 15 to 24 years   | PHA, LGA, PHN | 2010–2014                   |
| <b>Screening services</b>  |  |               |                             |
| <b>Bowel screening</b>   |  |               |                             |
| National Bowel Cancer Screening Program: participation             | Participation: Males/Females/Persons   | PHA, LGA, PHN | 2012/13                     |
| National Bowel Cancer Screening Program: positive screening result | Positive screening result (indicating blood found in tested sample): Males/Females/Persons                   | PHA, LGA, PHN | 2012/13                     |
| <b>Breast screening</b>  |  |               |                             |
| Breast screening participation                                     | Breast screening participation, females aged 50 to 69 yrs (excludes Tas and NT)                              | LGA           | 2010–2011 & 2007–2008 (ACT) |
| Breast screening outcomes - cancer                                 | Breast screening outcomes - cancer, females aged 50 to 69 years (excludes SA, Tas and NT)                    | LGA           | 2010–2011 & 2007–2008 (ACT) |
| <b>Cervical screening</b>  |  |               |                             |
| Cervical screening participation                                   | Cervical screening participation, females aged 20 to 69 years (excludes Qld, Tas and NT)                     | LGA           | 2013–2014                   |
| Cervical screening outcomes - Low grade abnormality                | Cervical screening outcomes - Low grade abnormality, females aged 20 to 69 years (excludes Qld, Tas and NT)  | LGA           | 2013–2014                   |
| Cervical screening outcomes - High grade abnormality               | Cervical screening outcomes - High grade abnormality, females aged 20 to 69 years (excludes Qld, Tas and NT) | LGA           | 2013–2014                   |
| <b>Cancer incidence</b>  |  |               |                             |
| <b>Males</b>   |  |               |                             |
| Prostate cancer incidence  | Prostate cancer incidence, males   | PHA, LGA, PHN | 2006–2010                   |
| Colorectal cancer incidence  | Colorectal cancer incidence, males   | PHA, LGA, PHN | 2006–2010                   |
| Melanoma of the skin incidence                                     | Melanoma of the skin incidence, males  | PHA, LGA, PHN | 2006–2010                   |
| Lung cancer incidence  | Lung cancer incidence, males   | PHA, LGA, PHN | 2006–2010                   |
| Head and neck cancer incidence                                     | Head and neck cancer incidence, males  | PHA, LGA, PHN | 2006–2010                   |
| Lymphoma cancer incidence  | Lymphoma cancer incidence, males   | PHA, LGA, PHN | 2006–2010                   |
| Leukaemia cancer incidence   | Leukaemia cancer incidence, males  | PHA, LGA, PHN | 2006–2010                   |
| Bladder cancer incidence   | Bladder cancer incidence, males  | PHA, LGA, PHN | 2006–2010                   |
| Kidney cancer incidence  | Kidney cancer incidence, males   | PHA, LGA, PHN | 2006–2010                   |
| Pancreatic cancer incidence  | Pancreatic cancer incidence, males   | PHN           | 2006–2010                   |
| Stomach cancer incidence   | Stomach cancer incidence, males  | PHN           | 2006–2010                   |
| All other cancer incidence   | All other cancer incidence, males  | PHN           | 2006–2010                   |
| All cancer incidence   | All cancer incidence, males  | PHN           | 2006–2010                   |

| Topic/ Indicator   | Indicator detail  | Geography     | Time period |
|--|---|---------------|-------------|
| <b>Females</b>   |   |               |             |
| Breast cancer incidence                                    | Breast cancer incidence, females  | PHA, LGA, PHN | 2006–2010   |
| Colorectal cancer incidence                                | Colorectal cancer incidence, females  | PHA, LGA, PHN | 2006–2010   |
| Melanoma of the skin incidence                             | Melanoma of the skin incidence, females   | PHA, LGA, PHN | 2006–2010   |
| Lung cancer incidence                                      | Lung cancer incidence, females  | PHA, LGA, PHN | 2006–2010   |
| Uterine cancer incidence                                   | Uterine cancer incidence, females   | PHA, LGA, PHN | 2006–2010   |
| Lymphoma cancer incidence                                  | Lymphoma cancer incidence, females  | PHA, LGA, PHN | 2006–2010   |
| Thyroid cancer incidence                                   | Thyroid cancer incidence, females   | PHN           | 2006–2010   |
| Leukaemia cancer incidence                                 | Leukaemia cancer incidence, females   | PHN           | 2006–2010   |
| Ovarian cancer incidence                                   | Ovarian cancer incidence, females   | PHN           | 2006–2010   |
| Pancreatic cancer incidence                                | Pancreatic cancer incidence, females  | PHN           | 2006–2010   |
| All other cancer incidence                                 | All other cancer incidence, females   | PHN           | 2006–2010   |
| All cancer incidence                                       | All cancer incidence, females   | PHN           | 2006–2010   |
| <b>Persons</b>   |   |               |             |
| All cancer incidence                                       | All cancer incidence, persons   | PHA, PHN      | 2006–2010   |
| <b>Modelled estimates (ABS National Health Survey)</b>     |   |               |             |
| <b>Self-assessed health (modelled estimates)</b>           |   |               |             |
| Fair or poor health  | People reporting fair or poor health, 15 yrs & over   | PHA, LGA, PHN | 2014-15     |
| <b>Chronic disease and conditions (modelled estimates)</b> |   |               |             |
| Diabetes mellitus  | Estimated population with diabetes mellitus   | PHA, LGA, PHN | 2011-12     |
| High blood cholesterol                                     | Estimated population with high blood cholesterol  | PHA, LGA, PHN | 2011-12     |
| People with mental & behavioural problems                  | Estimated population with mental & behavioural problems   | PHA, LGA, PHN | 2011-12     |
| Males with mental & behavioural problems                   | Estimated male population with mental & behavioural problems  | PHA, LGA, PHN | 2011-12     |
| Females with mental & behavioural problems                 | Estimated female population with mental & behavioural problems  | PHA, LGA, PHN | 2011-12     |
| Circulatory system diseases                                | Estimated population with circulatory system diseases, 2 yrs & over   | PHA, LGA, PHN | 2011-12     |
| - Hypertensive disease                                     | - Estimated population with hypertensive disease  | PHA, LGA, PHN | 2011-12     |
| Respiratory system diseases                                | Estimated population with respiratory system diseases   | PHA, LGA, PHN | 2011-12     |
| - Asthma   | - Estimated population with asthma  | PHA, LGA, PHN | 2011-12     |
| - Chronic obstructive pulmonary disease (COPD)             | - Estimated population with COPD  | PHA, LGA, PHN | 2011-12     |
| Musculoskeletal system diseases                            | Estimated population with musculoskeletal system diseases   | PHA, LGA, PHN | 2011-12     |
| - Arthritis  | - Estimated population with arthritis   | PHA, LGA, PHN | 2011-12     |
| <b>Health risk factors, adults (modelled estimates)</b>    |   |               |             |
| Psychological distress                                     | Estimated population with high or very high psychological distress based on the Kessler 10 Scale (K10), 18 yrs & over | PHA, LGA, PHN | 2014-15     |
| Blood pressure   | Estimated population with high blood pressure, 18 yrs & over  | PHA, LGA, PHN | 2014-15     |

| Topic/ Indicator  | Indicator detail  | Geography     | Time period |
|---|---|---------------|-------------|
| Overweight (not obese) males                              | Estimated male population who were overweight, 18 yrs & over  | PHA, LGA, PHN | 2014-15     |
| Obese males   | Estimated male population who were obese, 18 yrs & over   | PHA, LGA, PHN | 2014-15     |
| Overweight (not obese) females                            | Estimated female population who were overweight, 18 yrs & over  | PHA, LGA, PHN | 2014-15     |
| Obese females   | Estimated female population who were obese, 18 yrs & over   | PHA, LGA, PHN | 2014-15     |
| Overweight (not obese) persons                            | Estimated population who were overweight, 18 yrs & over   | PHA, LGA, PHN | 2014-15     |
| Obese persons   | Estimated population who were obese, 18 yrs & over  | PHA, LGA, PHN | 2014-15     |
| Waist measurement   | Estimated male population with a waist measurement indicating an increased/substantially increased risk of developing chronic diseases, 18 years & over   | PHA, LGA, PHN | 2014-15     |
| Waist measurement   | Estimated female population with a waist measurement indicating an increased/substantially increased risk of developing chronic diseases, 18 years & over | PHA, LGA, PHN | 2014-15     |
| Waist measurement   | Estimated population with a waist measurement indicating an increased/substantially increased risk of developing chronic diseases, 18 years & over        | PHA, LGA, PHN | 2014-15     |
| Male smokers  | Estimated male population who were current smokers, 18 yrs & over   | PHA, LGA, PHN | 2014-15     |
| Female smokers  | Estimated female population who were current smokers, 18 yrs & over   | PHA, LGA, PHN | 2014-15     |
| Smokers   | Estimated population who were current smokers, 18 yrs & over  | PHA, LGA, PHN | 2014-15     |
| Alcohol consumption                                       | Estimated population consuming alcohol at levels considered to be a high risk to health, 18 yrs & over  | PHA, LGA, PHN | 2014-15     |
| Fruit   | Estimated population with adequate fruit intake, 18 yrs & over  | PHA, LGA, PHN | 2014-15     |
| Exercise  | Estimated population who undertook low or no exercise, 18 yrs & over  |               |             |
| <b>Health risk factors, children (modelled estimates)</b> |   |               |             |
| Overweight (not obese) males                              | Estimated male population who were overweight, 2 to 17 yrs  | PHA, LGA, PHN | 2014-15     |
| Obese males   | Estimated male population who were obese, 2 to 17 yrs   | PHA, LGA, PHN | 2014-15     |
| Overweight (not obese) females                            | Estimated female population who were overweight, 2 to 17 yrs  | PHA, LGA, PHN | 2014-15     |
| Obese females   | Estimated female population who were obese, 2 to 17 yrs   | PHA, LGA, PHN | 2014-15     |
| Overweight (not obese) persons                            | Estimated population who were overweight, 2 to 17 yrs   | PHA, LGA, PHN | 2014-15     |
| Obese persons   | Estimated population who were obese, 2 to 17 yrs  | PHA, LGA, PHN | 2014-15     |
| Fruit   | Estimated population with adequate fruit intake, 4 to 17 yrs  | PHA, LGA, PHN | 2014-15     |
| <b>Composite health risk factors (modelled estimates)</b> |   |               |             |
| Males   | Estimated male population who had one of four health risk factors (current smokers, high risk alcohol, obese or no or low exercise), 18 yrs & over        | PHA, LGA, PHN | 2014-15     |
| Females   | Estimated female population who had one of four health risk factors (current smokers, high risk alcohol, obese or no or low exercise), 18 yrs & over      | PHA, LGA, PHN | 2014-15     |

| Topic/ Indicator  | Indicator detail  | Geography     | Time period |
|---|---|---------------|-------------|
| Persons   | Estimated population who had one of four health risk factors (current smokers, high risk alcohol, obese or no or low exercise), 18 yrs & over | PHA, LGA, PHN | 2014-15     |
| <b>Disability</b>   |   |               |             |
| Assistance to people with a disability (unpaid)   | Unpaid assistance provided by people 15 yrs & over  | PHA, LGA, PHN | 2011        |
| Profound or severe disability – all ages  | People with a profound or severe disability living in the community & in long-term care facilities, all ages                                  | PHA, LGA, PHN | 2011        |
| Profound or severe disability – 0 to 64 yrs   | People with a profound or severe disability living in the community & in long-term care facilities, ages 0 to 64                              | PHA, LGA, PHN | 2011        |
| Profound or severe disability – 65 yrs & over   | People with a profound or severe disability living in the community & in long-term care facilities, 65 yrs & over                             | PHA, LGA, PHN | 2011        |
| Profound or severe disability & living in the community – all ages  | People with a profound or severe disability living in the community, all ages   | PHA, LGA, PHN | 2011        |
| Profound or severe disability & living in the community – 0 to 64 yrs                                     | People with a profound or severe disability living in the community, aged 0 to 64 yrs   | PHA, LGA, PHN | 2011        |
| Profound or severe disability & living in the community – 65 yrs & over                                   | People with a profound or severe disability living in the community, 65 yrs & over  | PHA, LGA, PHN | 2011        |
| Persons aged 18 years and over with core activity restriction   | Persons aged 18 years and over with profound/severe/moderate/mild core activity restriction (modelled estimates)                              | LGA           | 2010        |
| <b>Median age at death</b>  |   |               |             |
| Median age at death of males  | Median age at death of males  | PHA, LGA, PHN | 2010–2014   |
| Median age at death of females  | Median age at death of females  | PHA, LGA, PHN | 2010–2014   |
| Median age at death of persons  | Median age at death of persons  | PHA, LGA, PHN | 2010–2014   |
| <b>Premature mortality, by sex</b>  |   |               |             |
| Deaths of males aged 0 to 74 years  | Deaths of males aged 0 to 74 years  | PHA, LGA, PHN | 2010–2014   |
| Deaths of females aged 0 to 74 years  | Deaths of females aged 0 to 74 years  | PHA, LGA, PHN | 2010–2014   |
| Deaths of people aged 0 to 74 years   | Deaths of people aged 0 to 74 years   | PHA, LGA, PHN | 2010–2014   |
| <b>Premature mortality, by selected cause</b>   |   |               |             |
| Deaths from cancer, persons aged 0 to 74 yrs  | Deaths from cancer, persons aged 0 to 74 yrs  | PHA, LGA, PHN | 2010–2014   |
| - Colorectal cancer, persons aged 0 to 74 yrs   | Deaths from colorectal cancer, persons aged 0 to 74 yrs   | PHA, LGA, PHN | 2010–2014   |
| - Lung cancer, persons aged 0 to 74 yrs   | Deaths from lung cancer, persons aged 0 to 74 yrs   | PHA, LGA, PHN | 2010–2014   |
| - Breast cancer, females aged 0 to 74 yrs   | Deaths from breast cancer, females aged 0 to 74 yrs   | PHA, LGA, PHN | 2010–2014   |
| Deaths from endocrine, nutritional and metabolic diseases: deaths from diabetes, persons aged 0 to 74 yrs | Deaths from endocrine, nutritional and metabolic diseases: deaths from diabetes, persons aged 0 to 74 yrs                                     | PHA, LGA, PHN | 2010–2014   |
| Deaths from circulatory system diseases, persons aged 0 to 74 yrs   | Deaths from circulatory system diseases, persons aged 0 to 74 yrs   | PHA, LGA, PHN | 2010–2014   |
| - Ischaemic heart disease, persons aged 0 to 74 yrs   | Deaths from ischaemic heart disease, persons aged 0 to 74 yrs   | PHA, LGA, PHN | 2010–2014   |



| Topic/ Indicator   | Indicator detail   | Geography     | Time period |
|--|--|---------------|-------------|
| - Cerebrovascular diseases, persons aged 0 to 74 yrs   | Deaths from cerebrovascular disease, persons aged 0 to 74 yrs  | PHA, LGA, PHN | 2010–2014   |
| Deaths from respiratory system diseases, persons aged 0 to 74 yrs  | Deaths from respiratory system diseases, persons aged 0 to 74 yrs  | PHA, LGA, PHN | 2010–2014   |
| - Chronic obstructive pulmonary disease, persons aged 0 to 74 yrs  | Deaths from chronic obstructive pulmonary disease, persons aged 0 to 74 yrs  | PHA, LGA, PHN | 2010–2014   |
| Deaths from external causes, persons aged 0 to 74 yrs  | Deaths from external causes, persons aged 0 to 74 yrs  | PHA, LGA, PHN | 2010–2014   |
| - Road traffic injuries, persons aged 0 to 74 yrs  | Deaths from road traffic injuries, persons aged 0 to 74 yrs  | PHA, LGA, PHN | 2010–2014   |
| - Suicide and self-inflicted injuries, persons aged 0 to 74 yrs  | Deaths from suicide and self-inflicted injuries, persons aged 0 to 74 yrs  | PHA, LGA, PHN | 2010–2014   |
| <b>Avoidable mortality by sex</b>  |  |               |             |
| Deaths from all avoidable causes, males/females/persons aged 0 to 74 yrs   | Deaths from all avoidable causes, males/females/persons aged 0 to 74 yrs   | PHA, LGA, PHN | 2010–2014   |
| <b>Avoidable mortality by selected cause</b>   |  |               |             |
| Avoidable deaths from cancer, persons aged 0 to 74 yrs   | Avoidable deaths from cancer, persons aged 0 to 74 yrs   | PHA, LGA, PHN | 2010–2014   |
| - Colorectal cancer, persons aged 0 to 74 yrs  | Avoidable deaths from colorectal cancer, persons aged 0 to 74 yrs  | PHA, LGA, PHN | 2010–2014   |
| - Breast cancer, persons aged 0 to 74 yrs  | Avoidable deaths from breast cancer, persons aged 0 to 74 yrs  | PHA, LGA, PHN | 2010–2014   |
| Avoidable deaths from endocrine, nutritional and metabolic diseases: deaths from diabetes, persons aged 0 to 74 yrs                                    | Avoidable deaths from endocrine, nutritional and metabolic diseases: deaths from diabetes, persons aged 0 to 74 yrs                                    | PHA, LGA, PHN | 2010–2014   |
| Avoidable deaths from cardiovascular diseases, persons aged 0 to 74 yrs  | Avoidable deaths from cardiovascular diseases, persons aged 0 to 74 yrs  | PHA, LGA, PHN | 2010–2014   |
| - Ischaemic heart disease, persons aged 0 to 74 yrs  | Avoidable deaths from ischaemic heart disease, persons aged 0 to 74 yrs  | PHA, LGA, PHN | 2010–2014   |
| - Cerebrovascular diseases, persons aged 0 to 74 yrs   | Avoidable deaths from cerebrovascular disease, persons aged 0 to 74 yrs  | PHA, LGA, PHN | 2010–2014   |
| Avoidable deaths from respiratory system diseases, persons aged 0 to 74 yrs  | Avoidable deaths from respiratory system diseases, persons aged 0 to 74 yrs  | PHA, LGA, PHN | 2010–2014   |
| - Chronic obstructive pulmonary disease, persons aged 0 to 74 yrs  | Avoidable deaths from chronic obstructive pulmonary disease, persons aged 0 to 74 yrs  | PHA, LGA, PHN | 2010–2014   |
| Avoidable deaths from selected external causes of mortality (Falls; Fires, burns; Suicide and self-inflicted injuries; etc.), persons aged 0 to 74 yrs | Avoidable deaths from selected external causes of mortality (Falls; Fires, burns; Suicide and self-inflicted injuries; etc.), persons aged 0 to 74 yrs | PHA, LGA, PHN | 2010–2014   |
| - Suicide and self-inflicted injuries, persons aged 0 to 74 yrs  | Avoidable deaths from suicide and self-inflicted injuries, persons aged 0 to 74 yrs  | PHA, LGA, PHN | 2010-2014   |
| Avoidable deaths from other external causes of mortality (Transport accidents; Accidental drowning and submersion; etc.), persons aged 0 to 74 yrs     | Avoidable deaths from other external causes of mortality (Transport accidents; Accidental drowning and submersion; etc.), persons aged 0 to 74 yrs     | PHA, LGA, PHN | 2010-2014   |
| - Avoidable deaths from transport accidents, persons aged 0 to 74 yrs  | Avoidable deaths from transport accidents, persons aged 0 to 74 yrs  | PHA, LGA, PHN | 2010-2014   |

| Topic/ Indicator  | Indicator detail  | Geography     | Time period |
|---|---|---------------|-------------|
| <b>Use and provision of health and welfare services</b>   |   |               |             |
| <b>Aged care places (SEE EMAIL FROM JOHN 24/07/2017)</b>  |   |               |             |
| Residential aged care places  | Rate per 1,000 population aged 70 years and over        | PHA, LGA, PHN | June 2016   |
| <b>Admissions by hospital type and sex</b>  |   |               |             |
| Total admissions - Public/Private/All hospitals   | Rate per 100,000 population                             | PHA, LGA, PHN | 2012/13     |
| Male total admissions - Public/All hospitals  | Rate per 100,000 males                                  | PHA, LGA, PHN | 2012/13     |
| Female total admissions - Public/All hospitals  | Rate per 100,000 females                                | PHA, LGA, PHN | 2012/13     |
| <b>Hospital admissions by principal diagnosis</b>   |   |               |             |
| Admissions for infectious and parasitic diseases, males/females/persons - Public/All hospitals                      | Rate per 100,000 males/females/population               | PHA, LGA, PHN | 2012/13     |
| Admissions for all cancers, males/females/persons - Public/All hospitals  | Rate per 100,000 males/females/population               | PHA, LGA, PHN | 2012/13     |
| Admissions for mental health related conditions, males/females/persons - Public/All hospitals                       | Rate per 100,000 males/females/population               | PHA, LGA, PHN | 2012/13     |
| Admissions for circulatory system diseases, males/females/persons - Public/All hospitals                            | Rate per 100,000 males/females/population               | PHA, LGA, PHN | 2012/13     |
| Admissions for respiratory system diseases, males/females/persons - Public/All hospitals                            | Rate per 100,000 males/females/population               | PHA, LGA, PHN | 2012/13     |
| Admissions for digestive diseases, males/females/persons - Public/All hospitals                                     | Rate per 100,000 males/females/population               | PHA, LGA, PHN | 2012/13     |
| Admissions for musculoskeletal system and connective tissues diseases, males/females/persons - Public/All hospitals | Rate per 100,000 males/females/population               | PHA, LGA, PHN | 2012/13     |
| Admissions for genitourinary system diseases, males/females/persons - Public/All hospitals                          | Rate per 100,000 males/females/population               | PHA, LGA, PHN | 2012/13     |
| Admissions for pregnancy and childbirth, males/females/persons - Public/All hospitals                               | Rate per 100,000 females                                | PHA, LGA, PHN | 2012/13     |
| Admissions for injury, poisoning and other external causes, males/females/persons - Public/All hospitals            | Rate per 100,000 males/females/population               | PHA, LGA, PHN | 2012/13     |
| <b>Hospital admissions by procedure type</b>  |   |               |             |
| Admissions for a tonsillectomy and/or adenoidectomy - Public/All hospitals  | Rate per 100,000 population                             | PHA, LGA, PHN | 2012/13     |
| Admissions for a myringotomy, aged 0 to 9 yrs - Public/All hospitals  | Rate per 100,000 population, aged 0-9 yrs               | PHA, LGA, PHN | 2012/13     |
| Admissions for a hysterectomy, females aged 30 to 59 yrs - Public/All hospitals                                     | Rate per 100,000 population, females aged 30-59 yrs     | PHA, LGA      | 2012/13     |
| Admissions for a Caesarean section, females aged 15 to 44 yrs - Public/All hospitals                                | Rate per 100 women admitted for a birth, aged 15-44 yrs | PHA, LGA, PHN | 2012/13     |

| Topic/ Indicator   | Indicator detail                         | Geography     | Time period |
|--|--|---------------|-------------|
| Admissions for a birth with an outcome of delivery, females aged 15 to 44 yrs - Public/All hospitals |  | PHA, LGA, PHN | 2012/13     |
| Admissions for coronary artery bypass graft - Public/All hospitals                                   | Rate per 100,000 females, aged 15-44 yrs | PHA, LGA, PHN | 2012/13     |
| Admissions for coronary angioplasty - Public/All hospitals   | Rate per 100,000 population              | PHA, LGA, PHN | 2012/13     |
| Admissions for cardiac catheterisation - Public/All hospitals  | Rate per 100,000 population              | PHA, LGA, PHN | 2012/13     |
| Admissions for hip fracture - Public/All hospitals   | Rate per 100,000 population              | PHA, LGA, PHN | 2012/13     |
| Admissions for knee replacement - Public/All hospitals   | Rate per 100,000 population              | PHA, LGA, PHN | 2012/13     |
| Admissions for knee arthroscopy - Public/All hospitals   | Rate per 100,000 population              | PHA, LGA, PHN | 2012/13     |
| <b>Same-day hospital admissions for renal dialysis</b>   |  |               |             |
| Admissions for same-day dialysis for kidney disease - Public/ All hospitals                          | Rate per 100,000 population              | PHA, LGA, PHN | 2012/13     |
| <b>Emergency department presentations</b>  |  |               |             |
| Emergency department presentations   | Rate per 100,000 population              | PHA, LGA, PHN | 2012/13     |

Note: Metadata are available via the MS Excel workbooks; or by accessing the individual notes – for further information, refer to; <http://phidu.torrens.edu.au/help-and-information/help-guides-and-faq/accessing-the-notes-on-the-data>

## 2. National Data held by Indigenous Area (IARE): Aboriginal and Torres Strait Islander Atlas

| Topic/ Indicator  | Indicator detail   | Geography | Time period        |
|---|--|-----------|--------------------|
| <b>Population demographics</b>  |  |           |                    |
| <b>Age distribution</b>   |  |           |                    |
| Age distribution: Aboriginal population (Estimated Resident Population) (non-ABS)                     | Age in 5 year groups, 0-4 to 65+ years: Males/Females/Persons  | IARE      | 2015               |
| Age distribution: Projected Aboriginal population (projected Estimated Resident Population) (non-ABS) | Age in 5 year groups, 0-4 to 65+ years, projected: Males/Females/Persons   | IARE      | 2016               |
| Fertility (these data are available in the data archive)  | Total fertility rate   | IARE      | 2004-2007          |
| <b>Social indicators</b>  |  |           |                    |
| <b>Aboriginal education</b>   |  |           |                    |
| Secondary school  | Full-time participation in secondary school education at age 16  | IARE      | 2011               |
| VET – Vocational education & training subjects  | Participation of Aboriginal students in vocational education & training  | IARE      | 2015               |
| VET – Load pass rate of vocational education & training subjects                                      | Load pass rate of Aboriginal students undertaking vocational education and training subjects                           | IARE      | 2015               |
| VET – Government-funded vocational education & training   | Aboriginal students in government-funded vocational education & training   | IARE      | 2015               |
| <b>Aboriginal early childhood development: <i>in process of being updated</i></b>                     |  |           |                    |
| Australian Early Development Census (AEDC*)   |  |           |                    |
| - Developmentally vulnerable on one or more domains   | Aboriginal children assessed as developmentally vulnerable on one or more domains                                      | IARE      | 2009/ 2012/ 2015   |
| - Developmentally vulnerable on two or more domains   | Aboriginal children assessed as developmentally vulnerable on two or more domains                                      | IARE      | 2009/ 2012/ 2015   |
| - Physical health and wellbeing domain  | Aboriginal children assessed as developmentally vulnerable in the physical health and wellbeing domain                 | IARE      | 2009/ 2012/ 201512 |
| - Social competence domain  | Aboriginal children assessed as developmentally vulnerable in the social competence domain                             | IARE      | 2009/ 2012/ 201512 |
| - Emotional maturity  | Aboriginal children assessed developmentally vulnerable in the emotional maturity domain                               | IARE      | 2009/ 2012/ 201512 |
| - Language and cognitive skills (schools-based) domain  | Aboriginal children assessed as developmentally vulnerable in the language and cognitive skills (schools-based) domain | IARE      | 2009/ 2012/ 2015   |
| - Communication skills and general knowledge domain   | Aboriginal children assessed as developmentally vulnerable in the communication skills and general knowledge domain    | IARE      | 2009/ 2012/ 2015   |
| *Previously the Australian Early Development Index  |  |           |                    |
| <b>Aboriginal families</b>  |  |           |                    |
| Single parent families  | Single parent families with children aged less than 15 years   | IARE      | 2011               |
| Low income families   | Low income families  | IARE      | 2011               |

| Topic/ Indicator  | Indicator detail  | Geography | Time period |
|---|---|-----------|-------------|
| Jobless families  | Jobless families with children aged less than 15 years  | IARE      | 2011        |
| Children aged less than 15 years in jobless families                      | Children aged less than 15 years in jobless families  | IARE      | 2011        |
| <b>Aboriginal housing</b>   |   |           |             |
| Dwellings rented by Aboriginal households                                 | Dwellings rented by Aboriginal households from the government housing authority                     | IARE      | 2011        |
| Dwellings rented by Aboriginal households                                 | Dwellings rented by Aboriginal households from a housing co-operative, community or church group    | IARE      | 2011        |
| <b>Internet access at dwellings with Aboriginal households</b>            |   |           |             |
| No Internet connection  | Private dwellings with Aboriginal households with no Internet connection                            | IARE      | 2011        |
| No Internet connection  | Private dwellings with Aboriginal households with children and with no Internet connection          | IARE      | 2011        |
| Broadband Internet connection   | Private dwellings with Aboriginal households with Broadband Internet connection                     | IARE      | 2011        |
| Broadband Internet connection   | Private dwellings with Aboriginal households with children and with a Broadband Internet connection | IARE      | 2011        |
| <b>Aboriginal labour force</b>  |   |           |             |
| Unemployment  | Unemployment  | IARE      | 2011        |
| Female labour force participation   | Female labour force participation   | IARE      | 2011        |
| <b>Summary measure of Indigenous outcomes</b>                             | Indigenous Relative Socioeconomic Outcomes index  | IARE      | 2011        |
| <b>Aboriginal mothers &amp; babies</b>                                    |   |           |             |
| Smoking during pregnancy  | Aboriginal women smoking during a pregnancy   | IARE      | 2012–2014   |
| Low birth weight babies   | Low birthweight babies  | IARE      | 2012–2014   |
| <b>Aboriginal immunisation</b>  |   |           |             |
| Aboriginal children fully immunised at 1 year of age                      | Aboriginal children fully immunised at 1 year of age  | IARE      | 2015        |
| Aboriginal children fully immunised at 2 years of age                     | Aboriginal children fully immunised at 2 years of age   | IARE      | 2015        |
| Aboriginal children fully immunised at 5 years of age                     | Aboriginal children fully immunised at 5 years of age   | IARE      | 2015        |
| <b>Disability</b>   |   |           |             |
| Profound or severe disability   | Estimated number of Aboriginal people living in the community with a profound or severe disability  | IARE      | 2011        |
| Assistance to people with a disability (unpaid)                           | Unpaid assistance provided by Aboriginal people aged 15 yrs & over to persons with a disability     | IARE      | 2011        |
| <b>Aboriginal median age at death: <i>in process of being updated</i></b> |   |           |             |
| Median age at death of males  | Median age at death of Aboriginal males   | IARE      | 2010–14     |
| Median age at death of females  | Median age at death of Aboriginal females   | IARE      | 2010–14     |
| Median age at death of persons  | Median age at death of Aboriginal persons   | IARE      | 2010–14     |

| Topic/ Indicator   | Indicator detail   | Geography | Time period |
|--|--|-----------|-------------|
| <b>Aboriginal premature mortality, by sex: <i>in process of being updated</i></b>            |  |           |             |
| Deaths of Aboriginal males aged 0 to 54 yrs  | Deaths of Aboriginal males aged 0 to 54 yrs (NSW, Qld, SA, WA & NT)                                  | IARE      | 2010–14     |
| Deaths of Aboriginal females aged 0 to 54 yrs  | Deaths of Aboriginal females aged 0 to 54 yrs (NSW, Qld, SA, WA & NT)                                | IARE      | 2010–14     |
| Deaths of Aboriginal persons aged 0 to 54 yrs  | Deaths of Aboriginal persons aged 0 to 54 yrs (NSW, Qld, SA, WA & NT)                                | IARE      | 2010–14     |
| Deaths of Aboriginal males aged 0 to 64 yrs  | Deaths of Aboriginal males aged 0 to 64 yrs (NSW, Qld, SA, WA & NT)                                  | IARE      | 2010–14     |
| Deaths of Aboriginal females aged 0 to 64 yrs  | Deaths of Aboriginal females aged 0 to 64 yrs (NSW, Qld, SA, WA & NT)                                | IARE      | 2010–14     |
| Deaths of Aboriginal people aged 0 to 64 yrs   | Deaths of Aboriginal persons aged 0 to 64 yrs (NSW, Qld, SA, WA & NT)                                | IARE      | 2010–14     |
| Deaths of Aboriginal males aged 0 to 74 yrs  | Deaths of Aboriginal males aged 0 to 74 yrs (NSW, Qld, SA, WA & NT)                                  | IARE      | 2010–14     |
| Deaths of Aboriginal females aged 0 to 74 yrs  | Deaths of Aboriginal females aged 0 to 74 yrs (NSW, Qld, SA, WA & NT)                                | IARE      | 2010–14     |
| Deaths of Aboriginal people aged 0 to 74 yrs   | Deaths of Aboriginal persons aged 0 to 74 yrs (NSW, Qld, SA, WA & NT)                                | IARE      | 2010–14     |
| <b>Aboriginal premature mortality, by selected cause: <i>in process of being updated</i></b> |  |           |             |
| Deaths from cancer, Aboriginal persons aged 0 to 54 yrs                                      | Deaths from cancer, Aboriginal persons aged 0 to 54 yrs (NSW, Qld, SA, WA & NT)                      | IARE      | 2010–14     |
| Deaths from circulatory system diseases, Aboriginal persons aged 0 to 54 yrs                 | Deaths from circulatory system diseases, Aboriginal persons aged 0 to 54 yrs (NSW, Qld, SA, WA & NT) | IARE      | 2010–14     |
| Deaths from respiratory system diseases, Aboriginal persons aged 0 to 54 yrs                 | Deaths from respiratory system diseases, Aboriginal persons aged 0 to 54 yrs (NSW, Qld, SA, WA & NT) | IARE      | 2010–14     |
| Deaths from external causes, Aboriginal persons aged 0 to 54 yrs                             | Deaths from external causes, Aboriginal persons aged 0 to 54 yrs (NSW, Qld, SA, WA & NT)             | IARE      | 2010–14     |
| Deaths from cancer, Aboriginal persons aged 0 to 64 yrs                                      | Deaths from cancer, Aboriginal persons aged 0 to 64 yrs (NSW, Qld, SA, WA & NT)                      | IARE      | 2010–14     |
| Deaths from circulatory system diseases, Aboriginal persons aged 0 to 64 yrs                 | Deaths from circulatory system diseases, Aboriginal persons aged 0 to 64 yrs (NSW, Qld, SA, WA & NT) | IARE      | 2010–14     |
| Deaths from respiratory system diseases, Aboriginal persons aged 0 to 64 yrs                 | Deaths from respiratory system diseases, Aboriginal persons aged 0 to 64 yrs (NSW, Qld, SA, WA & NT) | IARE      | 2010–14     |
| Deaths from external causes, Aboriginal persons aged 0 to 64 yrs                             | Deaths from external causes, Aboriginal persons aged 0 to 64 yrs (NSW, Qld, SA, WA & NT)             | IARE      | 2010–14     |
| Deaths from cancer, Aboriginal persons aged 0 to 74 yrs                                      | Deaths from cancer, Aboriginal persons aged 0 to 74 yrs (NSW, Qld, SA, WA & NT)                      | IARE      | 2010–14     |
| Deaths from circulatory system diseases, Aboriginal persons aged 0 to 74 yrs                 | Deaths from circulatory system diseases, Aboriginal persons aged 0 to 74 yrs (NSW, Qld, SA, WA & NT) | IARE      | 2010–14     |

| Topic/ Indicator  | Indicator detail   | Geography                                   | Time period |
|---|--|---|-------------|
| Deaths from respiratory system diseases, Aboriginal persons aged 0 to 74 yrs                        | Deaths from respiratory system diseases, Aboriginal persons aged 0 to 74 yrs (NSW, Qld, SA, WA & NT) | IARE  | 2010–14     |
| Deaths from external causes, Aboriginal persons aged 0 to 74 yrs                                    | Deaths from external causes, Aboriginal persons aged 0 to 74 yrs (NSW, Qld, SA, WA & NT)             | IARE  | 2010–14     |
| <b>Aboriginal admissions by selected principal diagnosis</b>  |  |   |             |
| Total admissions, Aboriginal persons  | Rate per 100,000   | IARE<br>(NT only: Indigenous Region (IREG)) | 2012/13     |
| Admissions for mental health related conditions, Aboriginal persons                                 | Rate per 100,000   | IARE<br>(NT only: IREG)                     | 2012/13     |
| Admissions for circulatory system diseases, Aboriginal persons                                      | Rate per 100,000   | IARE<br>(NT only: IREG)                     | 2012/13     |
| Admissions for respiratory system diseases, Aboriginal persons                                      | Rate per 100,000   | IARE<br>(NT only: IREG)                     | 2012/13     |
| Admissions for digestive system diseases, Aboriginal persons  | Rate per 100,000   | IARE<br>(NT only: IREG)                     | 2012/13     |
| Admissions for injury, poisoning and other external causes, Aboriginal persons                      | Rate per 100,000   | IARE<br>(NT only: IREG)                     | 2012/13     |
| <b>Aboriginal admissions by selected principal diagnosis and age</b>                                |  |   |             |
| Total admissions, Aboriginal persons aged 0 to 14 yrs   | Rate per 100,000   | IARE<br>(NT only: IREG)                     | 2012/13     |
| Total admissions, Aboriginal persons aged 15 yrs and over   | Rate per 100,000   | IARE<br>(NT only: IREG)                     | 2012/13     |
| Admissions for mental health related conditions, Aboriginal persons aged 15 yrs and over            | Rate per 100,000   | IARE<br>(NT only: IREG)                     | 2012/13     |
| Admissions for circulatory system diseases, Aboriginal persons aged 15 yrs and over                 | Rate per 100,000   | IARE<br>(NT only: IREG)                     | 2012/13     |
| Admissions for respiratory system diseases, Aboriginal persons aged 0 to 14 yrs                     | Rate per 100,000   | IARE<br>(NT only: IREG)                     | 2012/13     |
| Admissions for respiratory system diseases, Aboriginal persons aged 15 yrs and over                 | Rate per 100,000   | IARE<br>(NT only: IREG)                     | 2012/13     |
| Admissions for digestive system diseases, Aboriginal persons aged 15 yrs and over                   | Rate per 100,000   | IARE<br>(NT only: IREG)                     | 2012/13     |
| Admissions for injury, poisoning and other external causes, Aboriginal persons aged 0 to 14 yrs     | Rate per 100,000   | IARE<br>(NT only: IREG)                     | 2012/13     |
| Admissions for injury, poisoning and other external causes, Aboriginal persons aged 15 yrs and over | Rate per 100,000   | IARE<br>(NT only: IREG)                     | 2012/13     |
| <b>Ambulatory-sensitive hospitalisations by age</b>   |  |   |             |
| Total ambulatory-sensitive hospitalisations, Aboriginal persons aged 0 to 14 yrs                    | Rate per 100,000   | IARE<br>(NT only: IREG)                     | 2012/13     |

| <b>Topic/ Indicator</b>  | <b>Indicator detail</b> | <b>Geography</b>        | <b>Time period</b> |
|--|-------------------------|-------------------------|--------------------|
| Total ambulatory-sensitive hospitalisations, Aboriginal persons aged 15 yrs and over | Rate per 100,000        | IARE<br>(NT only: IREG) | 2012/13            |
| Total ambulatory-sensitive hospitalisations, Aboriginal persons at all ages          | Rate per 100,000        | IARE<br>(NT only: IREG) | 2012/13            |

Note: Metadata are available via the MS Excel workbooks; or by accessing the individual notes – for further information, refer to;  
<http://phidu.torrens.edu.au/help-and-information/help-guides-and-faq/accessing-the-notes-on-the-data>