

PHIDU data holdings at April 2018:

1. National Data held by Population Health Area (PHA), Local Government Area (LGA) or Primary Health Network (PHN): whole population Atlas

| Topic/ Indicator | Indicator detail | Geography | Time period |
|---|---|---------------|-------------|
| Population demographics | | | |
| Age distribution | | | |
| Age distribution: Males/Females/Persons: 5 yr age groups (ERP) | Age in 5 year age groups, 0-4 to 85+ yrs, Estimated Resident Population (ERP): Males/Females/Persons | PHA, LGA, PHN | 2016 |
| Age distribution: Males/Females/Persons: broad age groups (ERP) | Age in broad age groups: 0-14, 15-24, 25-44, 45-64, 65+, 70+, 75+, 85+ yrs, ERP: Males/Females/Persons | PHA, LGA, PHN | 2016 |
| Population projections: <u>Archived</u> | | | |
| Population projections: Males/Females/Persons: 5 yr age groups (Projected 2020, 2025 ERP) | Age in 5 year age groups, 0-4 to 85+ yrs, Projected ERP: Males/Females/Persons | PHA, LGA, PHN | 2020, 2025 |
| Aboriginal population | | | |
| Aboriginal population: Males/Females/Persons (ERP) (non-ABS): 5 yr age groups | Age in 5 yr age groups, 0-4 to 65+ yrs, estimated resident population (ERP) (non-ABS): Males/Females/Persons | PHA, LGA, PHN | 2016 |
| Indigenous status | | | |
| Aboriginal population as per cent of total population (ERP) (non-ABS) | Aboriginal population as per cent of total population, ERP (non-ABS) | PHA, LGA, PHN | 2016 |
| Aboriginal population as per cent of total population: 5 yr age groups (ERP) (non-ABS) | Aboriginal population as per cent of total population by 5 yr age groups: 0-4 years to 65+ yrs, ERP (non-ABS) | PHA, LGA, PHN | 2016 |
| Birthplace & non-English speaking residents | | | |
| Australian-born population | Australian-born population | PHA, LGA, PHN | 2016 |
| Born overseas in predominantly English speaking countries | People born (overseas) in predominantly English speaking countries | PHA, LGA, PHN | 2016 |
| Born overseas in predominantly non-English speaking (NES) countries | People born in predominantly non-English speaking countries | PHA, LGA, PHN | 2016 |
| Longer term arrivals; born in NES countries | People born in NES countries resident in Australia for five years or more | PHA, LGA, PHN | 2016 |
| Recent arrivals; born in NES countries | People born in NES countries resident in Australia for less than five years | PHA, LGA, PHN | 2016 |
| Poor proficiency in English & born overseas | People aged 5 yrs & over, born overseas, who speak English 'not well', or 'not at all' | PHA, LGA, PHN | 2016 |
| Birthplace: Top ten non-English speaking countries of birth | China (excluding Special Administrative Regions of Hong Kong & Macau, and Taiwan), India, Philippines, Vietnam, Italy, Malaysia, Sri Lanka, Germany, Korea, Republic of (South), and Greece | PHA, LGA, PHN | 2016 |
| Fertility | Total fertility rate | LGA | 2013–2015 |

| Topic/ Indicator | Indicator detail | Geography | Time period |
|--|--|---------------|-------------|
| Social indicators | | | |
| Education | | | |
| Preschool participation | Children aged 3 to 4 years who participated in preschool education | PHA, LGA, PHN | 2016 |
| Early school leavers | People who left school at Year 10 or below, or did not go to school | PHA, LGA, PHN | 2016 |
| Secondary school | Full-time participation in secondary school education at age 16 | PHA, LGA, PHN | 2016 |
| VET – Participation in vocational education & training | Participation in vocational education & training: Aboriginal population/ non-Indigenous population/ total population | PHA, LGA, PHN | 2015 |
| VET – Load pass rate of vocational education & training: government-funded hours | Load pass rate of vocational education and training subjects: government-funded hours | PHA, LGA, PHN | 2015 |
| VET – Load pass rate of vocational education & training: private-funded hours | Load pass rate of vocational education and training subjects: private-funded hours | PHA, LGA, PHN | 2015 |
| VET – Load pass rate of vocational education & training subjects | Load pass rate of vocational education and training subjects: Aboriginal students/ non-Indigenous students/ total students | PHA, LGA, PHN | 2015 |
| VET – Government-funded vocational education & training | Government-funded vocational education & training: Aboriginal students/ non-Indigenous students/ total students | PHA, LGA, PHN | 2015 |
| Higher education | School leavers enrolled in higher education | PHA, LGA, PHN | 2016 |
| Early childhood development | | | |
| Australian Early Development Census (AEDC) | | | |
| - Developmentally vulnerable on one or more domains | Developmentally vulnerable on one or more domains | PHA, LGA, PHN | 2015 |
| - Developmentally vulnerable on two or more domains | Developmentally vulnerable on two or more domains | PHA, LGA, PHN | 2015 |
| - Physical health and wellbeing domain | Physical health and wellbeing domain - developmentally vulnerable/ at risk/ on track | PHA, LGA, PHN | 2015 |
| - Social competence domain | Social competence domain - developmentally vulnerable/ at risk/ on track | PHA, LGA, PHN | 2015 |
| - Emotional maturity | Emotional maturity - developmentally vulnerable/ at risk/ on track | PHA, LGA, PHN | 2015 |
| - Language and cognitive skills (schools-based) domain | Language and cognitive skills (schools-based) domain - developmentally vulnerable/ at risk/ on track | PHA, LGA, PHN | 2015 |
| - Communication skills and general knowledge domain | Communication skills and general knowledge domain - developmentally vulnerable/ at risk/ on track | PHA, LGA, PHN | 2015 |
| Learning or Earning | | | |
| Learning or Earning | Learning or Earning at ages 15 to 24 years | PHA, LGA, PHN | 2016 |
| Families | | | |
| Single parent families with children aged less than 15 years | Single parent families with children aged less than 15 years | PHA, LGA, PHN | 2016 |
| Jobless families with children aged less than 15 years | Jobless families with children aged less than 15 years | PHA, LGA, PHN | 2016 |
| Children aged less than 15 years in jobless families | Children aged less than 15 years in jobless families | PHA, LGA, PHN | 2016 |

| Topic/ Indicator | Indicator detail | Geography | Time period |
|---|---|---------------|-------------|
| Children in families where the mother has low educational attainment | Children aged less than 15 years living in families where the female parent's highest level of schooling was year 10 or below, or where the female parent did not attend school | PHA, LGA, PHN | 2016 |
| Child care: unpaid | | | |
| Child care to own child/children (unpaid) | Unpaid child care provided by people 15 yrs & over to own children | PHA, LGA, PHN | 2016 |
| Child care to other child/children (unpaid) | Unpaid child care provided by people 15 yrs & over to other children | PHA, LGA, PHN | 2016 |
| Total (unpaid) child care | Total (unpaid) child care provided by people aged 15 yrs & over | PHA, LGA, PHN | 2016 |
| Housing | | | |
| Rent assistance from the Australian Government | Households in dwellings receiving rent assistance from the Australian Government | PHA, LGA, PHN | June 2016 |
| Housing authority dwellings being rented | Dwellings rented from the government housing authority | PHA, LGA, PHN | 2016 |
| Dwellings being rented from a housing co-operative, community or church group | Dwellings rented from a housing co-operative, community or church group | PHA, LGA, PHN | 2016 |
| Housing stress – mortgage holders | Low income households with mortgage stress | PHA, LGA, PHN | 2016 |
| Housing stress – renters | Low income households with rental stress | PHA, LGA, PHN | 2016 |
| Housing stress – mortgage holders & renters | Low income households under financial stress from mortgage/rent | PHA, LGA, PHN | 2016 |
| Housing suitability | Families requiring extra bedrooms | PHA, LGA, PHN | 2016 |
| No motor vehicle | Private dwellings with no motor vehicle | PHA, LGA, PHN | 2016 |
| Income support | | | |
| Age pensioners | Age pensioners | PHA, LGA, PHN | June 2016 |
| Disability support pensioners | Disability support pensioners | PHA, LGA, PHN | June 2016 |
| Female sole parent pensioners | Female sole parent pensioners | PHA, LGA, PHN | June 2016 |
| Unemployment beneficiaries | People receiving an unemployment benefit | PHA, LGA, PHN | June 2016 |
| Long-term unemployment beneficiaries | People receiving an unemployment benefit for longer than 6 months | PHA, LGA, PHN | June 2016 |
| Youth unemployment beneficiaries | Young people aged 16 to 24 receiving an unemployment benefit | PHA, LGA, PHN | June 2016 |
| Low income families (with children) | Welfare-dependent & other low income families with children | PHA, LGA, PHN | June 2016 |
| Children in low income families | Children in welfare-dependent & other low income families | PHA, LGA, PHN | June 2016 |
| Health Care Card holders | Health Care Card holders | PHA, LGA, PHN | June 2016 |
| Pensioner Concession Card holders | Pensioner Concession Card holders | PHA, LGA, PHN | June 2016 |
| Seniors Health Card holders | Seniors Health Card holders | PHA, LGA, PHN | June 2016 |
| Internet access at home | | | |
| Internet accessed from dwelling | Private dwellings where the internet was accessed | PHA, LGA, PHN | 2016 |
| Internet not accessed from dwelling | Private dwellings where the internet was not accessed | PHA, LGA, PHN | 2016 |
| Labour force | | | |
| Unemployment | Unemployment | PHA, LGA, PHN | June 2016 |
| Labour force participation | Labour force participation | PHA, LGA, PHN | June 2016 |
| Female labour force participation | Female labour force participation | PHA, LGA | 2016 |
| Summary measure of disadvantage | | | |
| | Index of Relative Socio-economic Disadvantage | PHA, LGA, PHN | 2011 |

| Topic/ Indicator | Indicator detail | Geography | Time period |
|--|--|---------------|-------------|
| Community strength and wellbeing: Modelled estimates (ABS General Social Survey, people aged 18 years and over) other than Voluntary work (ABS Census): in process of being updated | | | |
| Community strengths | | | |
| Voluntary work for an organisation or group (ABS Census) | People 15 yrs & over who participated in voluntary work | PHA, LGA, PHN | 2016 |
| Voluntary work for an organisation or group | People who did unpaid voluntary work in the last 12 months | PHA, LGA, PHN | 2014 |
| Support in times of crisis | People able to get support in times of crisis from persons outside the household | PHA, LGA, PHN | 2014 |
| Support to other relatives living outside the household | People (or their partner) who provide support to other relatives living outside the household | PHA, LGA, PHN | 2014 |
| Feels very safe/safe walking alone in local area after dark | People who feel very safe/safe walking alone in local area after dark | PHA, LGA, PHN | 2014 |
| Disagree/strongly disagree with acceptance of other cultures | People who disagree/strongly disagree with acceptance of other cultures | PHA, LGA, PHN | 2014 |
| Felt they had experienced discrimination or been treated unfairly by others | People who felt they had experienced discrimination or been treated unfairly by others | PHA, LGA, PHN | 2014 |
| Personal and financial stressors | | | |
| Households that could raise \$2,000 within a week | People whose household could raise \$2,000 within a week | PHA, LGA, PHN | 2014 |
| Government support as main source of income in last 2 years | People who had government support as their main source of income in the last 2 years | PHA, LGA, PHN | 2014 |
| Government support as main source of income, for 12 months or more, within the past 24 months | People who had government support as their main source of income, for 13 months or more, in past 24 months | PHA, LGA, PHN | 2014 |
| Access to services: financial and transport barriers | | | |
| Difficulty or can't get to places needed with transport | People who often have a difficulty or can't get to places needed with transport | PHA, LGA, PHN | 2014 |
| Barriers to accessing healthcare | People who experienced a barrier to accessing healthcare when needed | PHA, LGA, PHN | 2014 |
| Mothers & babies | | | |
| Low birth weight babies | Low birth weight babies | PHA, LGA, PHN | 2012–2014 |
| Smoking during pregnancy | Mothers who reported smoking during pregnancy | PHA, LGA, PHN | 2012–2014 |
| Breastfeeding (modelled estimates) | Fully breastfed babies at 3 months; at 6 months | PHA, LGA, PHN | 2014–2015 |
| Introduction of solid food to babies (modelled estimates) | Children who first ate soft/semi-solid/solid food before 4 mths of age | PHA, LGA, PHN | 2014–2015 |
| Health status, disability and death | | | |
| Child and youth health | | | |
| Immunisation, 1 yr of age | Children fully immunised at 1 year of age | PHA, LGA, PHN | 2015 |
| Immunisation, 2 yrs of age | Children fully immunised at 2 years of age | PHA, LGA, PHN | 2015 |
| Immunisation, 5 yrs of age | Children fully immunised at 5 years of age | PHA, LGA, PHN | 2015 |

| Topic/ Indicator | Indicator detail | Geography | Time period |
|--|--|---------------|-------------|
| HPV, 12 and 13 year old females, males (fully vaccinated) | HPV vaccine coverage for females/ males aged 12-13yrs in mid-2013: Dose 3 received by 2016) | PHA, LGA, PHN | 2016 |
| Infant deaths | Infant deaths per 1,000 live births | PHA, LGA, PHN | 2010–2014 |
| Child mortality | Deaths of children aged 1 to 4 years | PHN | 2010–2014 |
| Youth mortality | Deaths of persons age 15 to 24 years | PHA, LGA, PHN | 2010–2014 |
| Screening services | | | |
| Bowel screening | | | |
| National Bowel Cancer Screening Program: participation | Participation: Males/Females/Persons | PHA, LGA, PHN | 2014/15 |
| National Bowel Cancer Screening Program: positive screening result | Positive screening result (indicating blood found in tested sample): Males/Females/Persons | PHA, LGA, PHN | 2014/15 |
| Breast screening | | | |
| Breast screening participation | Breast screening participation, females aged 50 to 69 yrs (excludes Qld,WA, Tas and NT) | PHA, LGA, PHN | 2013–2014 |
| Breast screening outcomes - cancer | Breast screening outcomes - cancer, females aged 50 to 69 years (excludes Qld,WA, Tas and NT) | PHA, LGA, PHN | 2013–2014 |
| Cervical screening | | | |
| Cervical screening participation | Cervical screening participation, females aged 20 to 69 years (excludes Qld, Tas and NT) | PHA, LGA, PHN | 2013–2014 |
| Cervical screening outcomes - Low grade abnormality | Cervical screening outcomes - Low grade abnormality, females aged 20 to 69 years (excludes Qld, Tas and NT) | PHA, LGA, PHN | 2013–2014 |
| Cervical screening outcomes - High grade abnormality | Cervical screening outcomes - High grade abnormality, females aged 20 to 69 years (excludes Qld, Tas and NT) | PHA, LGA, PHN | 2013–2014 |
| Cancer incidence | | | |
| Males | | | |
| Prostate cancer incidence | Prostate cancer incidence, males | PHA, LGA, PHN | 2006–2010 |
| Colorectal cancer incidence | Colorectal cancer incidence, males | PHA, LGA, PHN | 2006–2010 |
| Melanoma of the skin incidence | Melanoma of the skin incidence, males | PHA, LGA, PHN | 2006–2010 |
| Lung cancer incidence | Lung cancer incidence, males | PHA, LGA, PHN | 2006–2010 |
| Head and neck cancer incidence | Head and neck cancer incidence, males | PHA, LGA, PHN | 2006–2010 |
| Lymphoma cancer incidence | Lymphoma cancer incidence, males | PHA, LGA, PHN | 2006–2010 |
| Leukaemia cancer incidence | Leukaemia cancer incidence, males | PHA, LGA, PHN | 2006–2010 |
| Bladder cancer incidence | Bladder cancer incidence, males | PHA, LGA, PHN | 2006–2010 |
| Kidney cancer incidence | Kidney cancer incidence, males | PHA, LGA, PHN | 2006–2010 |
| Pancreatic cancer incidence | Pancreatic cancer incidence, males | PHN | 2006–2010 |
| Stomach cancer incidence | Stomach cancer incidence, males | PHN | 2006–2010 |
| All other cancer incidence | All other cancer incidence, males | PHN | 2006–2010 |
| All cancer incidence | All cancer incidence, males | PHN | 2006–2010 |
| Females | | | |
| Breast cancer incidence | Breast cancer incidence, females | PHA, LGA, PHN | 2006–2010 |
| Colorectal cancer incidence | Colorectal cancer incidence, females | PHA, LGA, PHN | 2006–2010 |
| Melanoma of the skin incidence | Melanoma of the skin incidence, females | PHA, LGA, PHN | 2006–2010 |

| Topic/ Indicator | Indicator detail | Geography | Time period |
|--|---|---------------|-------------|
| Lung cancer incidence | Lung cancer incidence, females | PHA, LGA, PHN | 2006–2010 |
| Uterine cancer incidence | Uterine cancer incidence, females | PHA, LGA, PHN | 2006–2010 |
| Lymphoma cancer incidence | Lymphoma cancer incidence, females | PHA, LGA, PHN | 2006–2010 |
| Thyroid cancer incidence | Thyroid cancer incidence, females | PHN | 2006–2010 |
| Leukaemia cancer incidence | Leukaemia cancer incidence, females | PHN | 2006–2010 |
| Ovarian cancer incidence | Ovarian cancer incidence, females | PHN | 2006–2010 |
| Pancreatic cancer incidence | Pancreatic cancer incidence, females | PHN | 2006–2010 |
| All other cancer incidence | All other cancer incidence, females | PHN | 2006–2010 |
| All cancer incidence | All cancer incidence, females | PHN | 2006–2010 |
| Persons | | | |
| All cancer incidence | All cancer incidence, persons | PHA, PHN | 2006–2010 |
| Modelled estimates (ABS National Health Survey) | | | |
| Self-assessed health (modelled estimates) | | | |
| Fair or poor health | People reporting fair or poor health, 15 yrs & over | PHA, LGA, PHN | 2014–15 |
| Chronic disease and conditions (modelled estimates) | | | |
| Diabetes mellitus | Estimated population with diabetes mellitus | PHA, LGA, PHN | 2011–12 |
| High blood cholesterol | Estimated population with high blood cholesterol | PHA, LGA, PHN | 2011–12 |
| People with mental & behavioural problems | Estimated population with mental & behavioural problems | PHA, LGA, PHN | 2011–12 |
| Males with mental & behavioural problems | Estimated male population with mental & behavioural problems | PHA, LGA, PHN | 2011–12 |
| Females with mental & behavioural problems | Estimated female population with mental & behavioural problems | PHA, LGA, PHN | 2011–12 |
| Circulatory system diseases | Estimated population with circulatory system diseases, 2 yrs & over | PHA, LGA, PHN | 2011–12 |
| - Hypertensive disease | - Estimated population with hypertensive disease | PHA, LGA, PHN | 2011–12 |
| Respiratory system diseases | Estimated population with respiratory system diseases | PHA, LGA, PHN | 2011–12 |
| - Asthma | - Estimated population with asthma | PHA, LGA, PHN | 2011–12 |
| - Chronic obstructive pulmonary disease (COPD) | - Estimated population with COPD | PHA, LGA, PHN | 2011–12 |
| Musculoskeletal system diseases | Estimated population with musculoskeletal system diseases | PHA, LGA, PHN | 2011–12 |
| - Arthritis | - Estimated population with arthritis | PHA, LGA, PHN | 2011–12 |
| Health risk factors, adults (modelled estimates) | | | |
| Psychological distress | Estimated population with high or very high psychological distress based on the Kessler 10 Scale (K10), 18 yrs & over | PHA, LGA, PHN | 2014–15 |
| Blood pressure | Estimated population with high blood pressure, 18 yrs & over | PHA, LGA, PHN | 2014–15 |
| Overweight (not obese) males | Estimated male population who were overweight, 18 yrs & over | PHA, LGA, PHN | 2014–15 |
| Obese males | Estimated male population who were obese, 18 yrs & over | PHA, LGA, PHN | 2014–15 |
| Overweight (not obese) females | Estimated female population who were overweight, 18 yrs & over | PHA, LGA, PHN | 2014–15 |
| Obese females | Estimated female population who were obese, 18 yrs & over | PHA, LGA, PHN | 2014–15 |
| Overweight (not obese) persons | Estimated population who were overweight, 18 yrs & over | PHA, LGA, PHN | 2014–15 |
| Obese persons | Estimated population who were obese, 18 yrs & over | PHA, LGA, PHN | 2014–15 |
| Waist measurement | Estimated male population with a waist measurement indicating an increased/substantially increased risk of developing chronic diseases, 18 years & over | PHA, LGA, PHN | 2014–15 |

| Topic/ Indicator | Indicator detail | Geography | Time period |
|---|---|---------------|-------------|
| Waist measurement | Estimated female population with a waist measurement indicating an increased/substantially increased risk of developing chronic diseases, 18 years & over | PHA, LGA, PHN | 2014–15 |
| Waist measurement | Estimated population with a waist measurement indicating an increased/substantially increased risk of developing chronic diseases, 18 years & over | PHA, LGA, PHN | 2014–15 |
| Male smokers | Estimated male population who were current smokers, 18 yrs & over | PHA, LGA, PHN | 2014–15 |
| Female smokers | Estimated female population who were current smokers, 18 yrs & over | PHA, LGA, PHN | 2014–15 |
| Smokers | Estimated population who were current smokers, 18 yrs & over | PHA, LGA, PHN | 2014–15 |
| Alcohol consumption | Estimated population consuming alcohol at levels considered to be a high risk to health, 18 yrs & over | PHA, LGA, PHN | 2014–15 |
| Fruit | Estimated population with adequate fruit intake, 18 yrs & over | PHA, LGA, PHN | 2014–15 |
| Exercise | Estimated population who undertook low or no exercise, 18 yrs & over | | |
| Health risk factors, children (modelled estimates) | | | |
| Overweight (not obese) males | Estimated male population who were overweight, 2 to 17 yrs | PHA, LGA, PHN | 2014–15 |
| Obese males | Estimated male population who were obese, 2 to 17 yrs | PHA, LGA, PHN | 2014–15 |
| Overweight (not obese) females | Estimated female population who were overweight, 2 to 17 yrs | PHA, LGA, PHN | 2014–15 |
| Obese females | Estimated female population who were obese, 2 to 17 yrs | PHA, LGA, PHN | 2014–15 |
| Overweight (not obese) persons | Estimated population who were overweight, 2 to 17 yrs | PHA, LGA, PHN | 2014–15 |
| Obese persons | Estimated population who were obese, 2 to 17 yrs | PHA, LGA, PHN | 2014–15 |
| Fruit | Estimated population with adequate fruit intake, 4 to 17 yrs | PHA, LGA, PHN | 2014–15 |
| Composite health risk factors (modelled estimates) | | | |
| Males | Estimated male population who had one of four health risk factors (current smokers, high risk alcohol, obese or no or low exercise), 18 yrs & over | PHA, LGA, PHN | 2014–15 |
| Females | Estimated female population who had one of four health risk factors (current smokers, high risk alcohol, obese or no or low exercise), 18 yrs & over | PHA, LGA, PHN | 2014–15 |
| Persons | Estimated population who had one of four health risk factors (current smokers, high risk alcohol, obese or no or low exercise), 18 yrs & over | PHA, LGA, PHN | 2014–15 |
| Disability | | | |
| Assistance to people with a disability (unpaid) | Unpaid assistance provided by people 15 yrs & over to persons with a disability | PHA, LGA, PHN | 2016 |
| Profound or severe disability – all ages | People with a profound or severe disability living in the community or in long-term care facilities, all ages | PHA, LGA, PHN | 2016 |

| Topic/ Indicator | Indicator detail | Geography | Time period |
|---|--|---------------|-------------|
| Profound or severe disability & living in the community – all ages | People with a profound or severe disability living in the community, all ages | PHA, LGA, PHN | 2016 |
| Profound or severe disability – 0 to 64 yrs | People with a profound or severe disability living in the community or in long-term care facilities, ages 0 to 64 | PHA, LGA, PHN | 2016 |
| Profound or severe disability & living in the community – 0 to 64 yrs | People with a profound or severe disability living in the community, aged 0 to 64 yrs | PHA, LGA, PHN | 2016 |
| Profound or severe disability – 65 yrs & over | People with a profound or severe disability living in the community or in long-term care facilities, 65 yrs & over | PHA, LGA, PHN | 2016 |
| Profound or severe disability & living in the community – 65 yrs & over | People with a profound or severe disability living in the community, 65 yrs & over | PHA, LGA, PHN | 2011 |
| Median age at death | | | |
| Median age at death of males | Median age at death of males | PHA, LGA, PHN | 2010–2014 |
| Median age at death of females | Median age at death of females | PHA, LGA, PHN | 2010–2014 |
| Median age at death of persons | Median age at death of persons | PHA, LGA, PHN | 2010–2014 |
| Premature mortality, by sex | | | |
| Deaths of males aged 0 to 74 years | Deaths of males aged 0 to 74 years | PHA, LGA, PHN | 2010–2014 |
| Deaths of females aged 0 to 74 years | Deaths of females aged 0 to 74 years | PHA, LGA, PHN | 2010–2014 |
| Deaths of people aged 0 to 74 years | Deaths of people aged 0 to 74 years | PHA, LGA, PHN | 2010–2014 |
| Premature mortality, by selected cause | | | |
| Deaths from cancer, persons aged 0 to 74 yrs | Deaths from cancer, persons aged 0 to 74 yrs | PHA, LGA, PHN | 2010–2014 |
| - Colorectal cancer, persons aged 0 to 74 yrs | Deaths from colorectal cancer, persons aged 0 to 74 yrs | PHA, LGA, PHN | 2010–2014 |
| - Lung cancer, persons aged 0 to 74 yrs | Deaths from lung cancer, persons aged 0 to 74 yrs | PHA, LGA, PHN | 2010–2014 |
| - Breast cancer, females aged 0 to 74 yrs | Deaths from breast cancer, females aged 0 to 74 yrs | PHA, LGA, PHN | 2010–2014 |
| Deaths from endocrine, nutritional and metabolic diseases: deaths from diabetes, persons aged 0 to 74 yrs | Deaths from endocrine, nutritional and metabolic diseases: deaths from diabetes, persons aged 0 to 74 yrs | PHA, LGA, PHN | 2010–2014 |
| Deaths from circulatory system diseases, persons aged 0 to 74 yrs | Deaths from circulatory system diseases, persons aged 0 to 74 yrs | PHA, LGA, PHN | 2010–2014 |
| - Ischaemic heart disease, persons aged 0 to 74 yrs | Deaths from ischaemic heart disease, persons aged 0 to 74 yrs | PHA, LGA, PHN | 2010–2014 |
| - Cerebrovascular diseases, persons aged 0 to 74 yrs | Deaths from cerebrovascular disease, persons aged 0 to 74 yrs | PHA, LGA, PHN | 2010–2014 |
| Deaths from respiratory system diseases, persons aged 0 to 74 yrs | Deaths from respiratory system diseases, persons aged 0 to 74 yrs | PHA, LGA, PHN | 2010–2014 |
| - Chronic obstructive pulmonary disease, persons aged 0 to 74 yrs | Deaths from chronic obstructive pulmonary disease, persons aged 0 to 74 yrs | PHA, LGA, PHN | 2010–2014 |
| Deaths from external causes, persons aged 0 to 74 yrs | Deaths from external causes, persons aged 0 to 74 yrs | PHA, LGA, PHN | 2010–2014 |
| - Road traffic injuries, persons aged 0 to 74 yrs | Deaths from road traffic injuries, persons aged 0 to 74 yrs | PHA, LGA, PHN | 2010–2014 |
| - Suicide and self-inflicted injuries, persons aged 0 to 74 yrs | Deaths from suicide and self-inflicted injuries, persons aged 0 to 74 yrs | PHA, LGA, PHN | 2010–2014 |
| Avoidable mortality by sex | | | |

| Topic/ Indicator | Indicator detail | Geography | Time period |
|--|--|---------------|-------------|
| Deaths from all avoidable causes, males/females/persons aged 0 to 74 yrs | Deaths from all avoidable causes, males/females/persons aged 0 to 74 yrs | PHA, LGA, PHN | 2010–2014 |
| Avoidable mortality by selected cause | | | |
| Avoidable deaths from cancer, persons aged 0 to 74 yrs | Avoidable deaths from cancer, persons aged 0 to 74 yrs | PHA, LGA, PHN | 2010–2014 |
| - Colorectal cancer, persons aged 0 to 74 yrs | Avoidable deaths from colorectal cancer, persons aged 0 to 74 yrs | PHA, LGA, PHN | 2010–2014 |
| - Breast cancer, persons aged 0 to 74 yrs | Avoidable deaths from breast cancer, persons aged 0 to 74 yrs | PHA, LGA, PHN | 2010–2014 |
| Avoidable deaths from endocrine, nutritional and metabolic diseases: deaths from diabetes, persons aged 0 to 74 yrs | Avoidable deaths from endocrine, nutritional and metabolic diseases: deaths from diabetes, persons aged 0 to 74 yrs | PHA, LGA, PHN | 2010–2014 |
| Avoidable deaths from cardiovascular diseases, persons aged 0 to 74 yrs | Avoidable deaths from cardiovascular diseases, persons aged 0 to 74 yrs | PHA, LGA, PHN | 2010–2014 |
| - Ischaemic heart disease, persons aged 0 to 74 yrs | Avoidable deaths from ischaemic heart disease, persons aged 0 to 74 yrs | PHA, LGA, PHN | 2010–2014 |
| - Cerebrovascular diseases, persons aged 0 to 74 yrs | Avoidable deaths from cerebrovascular disease, persons aged 0 to 74 yrs | PHA, LGA, PHN | 2010–2014 |
| Avoidable deaths from respiratory system diseases, persons aged 0 to 74 yrs | Avoidable deaths from respiratory system diseases, persons aged 0 to 74 yrs | PHA, LGA, PHN | 2010–2014 |
| - Chronic obstructive pulmonary disease, persons aged 0 to 74 yrs | Avoidable deaths from chronic obstructive pulmonary disease, persons aged 0 to 74 yrs | PHA, LGA, PHN | 2010–2014 |
| Avoidable deaths from selected external causes of mortality (Falls; Fires, burns; Suicide and self-inflicted injuries; etc.), persons aged 0 to 74 yrs | Avoidable deaths from selected external causes of mortality (Falls; Fires, burns; Suicide and self-inflicted injuries; etc.), persons aged 0 to 74 yrs | PHA, LGA, PHN | 2010–2014 |
| - Suicide and self-inflicted injuries, persons aged 0 to 74 yrs | Avoidable deaths from suicide and self-inflicted injuries, persons aged 0 to 74 yrs | PHA, LGA, PHN | 2010-2014 |
| Avoidable deaths from other external causes of mortality (Transport accidents; Accidental drowning and submersion; etc.), persons aged 0 to 74 yrs | Avoidable deaths from other external causes of mortality (Transport accidents; Accidental drowning and submersion; etc.), persons aged 0 to 74 yrs | PHA, LGA, PHN | 2010-2014 |
| - Avoidable deaths from transport accidents, persons aged 0 to 74 yrs | Avoidable deaths from transport accidents, persons aged 0 to 74 yrs | PHA, LGA, PHN | 2010-2014 |

Use and provision of health and welfare services

Aged care places

| | | | |
|------------------------------|--|---------------|-----------|
| Residential aged care places | Rate per 1,000 population aged 70 years and over | PHA, LGA, PHN | June 2016 |
|------------------------------|--|---------------|-----------|

Home and Community Care Program

| | | | |
|--|---|---------------|---------|
| Clients living alone | Clients living alone | PHA, LGA, PHN | 2014/15 |
| Clients with carer | Clients with carer | PHA, LGA, PHN | 2014/15 |
| Clients with co-resident carer | Clients with co-resident carer | PHA, LGA, PHN | 2014/15 |
| Indigenous clients (per total clients) | Indigenous clients as a proportion of total clients | PHA, LGA, PHN | 2014/15 |

| Topic/ Indicator | Indicator detail | Geography | Time period |
|--|---|---------------|-------------|
| Indigenous clients (per Indigenous population) | Indigenous clients as a proportion of the Indigenous population | PHA, LGA, PHN | 2014/15 |
| Non-English speaking clients | Non-English speaking clients | PHA, LGA, PHN | 2014/15 |
| Total clients | Total clients | PHA, LGA, PHN | 2014/15 |
| Allied health care instances at home | Allied health care instances at home | PHA, LGA, PHN | 2014/15 |
| Allied health care instances at centre | Allied health care instances at centre | PHA, LGA, PHN | 2014/15 |
| Care received in support instances | Care received in support instances | PHA, LGA, PHN | 2014/15 |
| Case management instances | Case management instances | PHA, LGA, PHN | 2014/15 |
| Centre based day care instances | Centre based day care instances | PHA, LGA, PHN | 2014/15 |
| Client care coordination instances | Client care coordination instances | PHA, LGA, PHN | 2014/15 |
| Domestic assistance instances | Domestic assistance instances | PHA, LGA, PHN | 2014/15 |
| Home maintenance and modification instances | Home maintenance and modification instances | PHA, LGA, PHN | 2014/15 |
| Meals at centre plus meals at home instances | Meals at centre plus meals at home instances | PHA, LGA, PHN | 2014/15 |
| Nursing care at centre plus nursing care at home instances | Nursing care at centre plus nursing care at home instances | PHA, LGA, PHN | 2014/15 |
| Personal care instances | Personal care instances | PHA, LGA, PHN | 2014/15 |
| Respite care instances | Respite care instances | PHA, LGA, PHN | 2014/15 |
| Social support instances | Social support instances | PHA, LGA, PHN | 2014/15 |
| Transport instances | Transport instances | PHA, LGA, PHN | 2014/15 |
| Total instances of assistance | Total instances of assistance | PHA, LGA, PHN | 2014/15 |
| Admissions by hospital type and sex | | | |
| Total admissions - Public/Private /All hospitals | Rate per 100,000 population | PHA, LGA, PHN | 2014/15 |
| Male total admissions - Public/All hospitals | Rate per 100,000 males | PHA, LGA, PHN | 2014/15 |
| Female total admissions - Public/All hospitals | Rate per 100,000 females | PHA, LGA, PHN | 2014/15 |
| Hospital admissions by principal diagnosis and sex | | | |
| Admissions for infectious and parasitic diseases, males/females/persons - Public/All hospitals | Rate per 100,000 population | PHA, LGA, PHN | 2014/15 |
| Admissions for all cancers, males/females/persons - Public/All hospitals | Rate per 100,000 population | PHA, LGA, PHN | 2014/15 |
| Admissions for blood and blood-forming organs diseases and certain disorders involving the immune mechanism - Public/All hospitals | Rate per 100,000 population | PHA, LGA, PHN | 2014/15 |
| Admissions for blood and blood-forming organs diseases and certain disorders involving the immune mechanism - All hospitals | Rate per 100,000 population | PHA, LGA, PHN | 2014/15 |
| Admissions for endocrine, nutritional and metabolic diseases, males/females/persons - Public/All hospitals | Rate per 100,000 population | PHA, LGA, PHN | 2014/15 |
| Admissions for nervous system diseases, males/females/persons - Public/All hospitals | Rate per 100,000 population | PHA, LGA, PHN | 2014/15 |

| Topic/ Indicator | Indicator detail | Geography | Time period |
|---|---|---------------|-------------|
| Admissions for eye and adnexa diseases - Public/All hospitals | Rate per 100,000 population | PHA, LGA, PHN | 2014/15 |
| Admissions for ear and mastoid process diseases, males/females/persons - Public/All hospitals | Rate per 100,000 population | PHA, LGA, PHN | 2014/15 |
| Admissions for mental health related conditions, males/females/persons - Public/All hospitals | Rate per 100,000 population | PHA, LGA, PHN | 2014/15 |
| Admissions for circulatory system diseases, males/females/persons - Public/All hospitals | Rate per 100,000 population | PHA, LGA, PHN | 2014/15 |
| Admissions for respiratory system diseases, males/females/persons - Public/All hospitals | Rate per 100,000 population | PHA, LGA, PHN | 2014/15 |
| Admissions for digestive diseases, males/females/persons - Public/All hospitals | Rate per 100,000 population | PHA, LGA, PHN | 2014/15 |
| Admissions for skin and subcutaneous tissue diseases - Public/All hospitals | Rate per 100,000 population | PHA, LGA, PHN | 2014/15 |
| Admissions for musculoskeletal system and connective tissues diseases, males/females/persons - Public/All hospitals | Rate per 100,000 population | PHA, LGA, PHN | 2014/15 |
| Admissions for genitourinary system diseases, males/females/persons - Public/All hospitals | Rate per 100,000 population | PHA, LGA, PHN | 2014/15 |
| Admissions for pregnancy and childbirth, females 15 to 44 years - Public/All hospitals | Rate per 100,000 population | PHA, LGA, PHN | 2014/15 |
| Admissions for congenital malformations, deformations and chromosomal abnormalities, males/females/persons - Public/All hospitals | Rate per 100,000 population | PHA, LGA, PHN | 2014/15 |
| Admissions for injury, poisoning and other external causes, males/females/persons - Public/All hospitals | Rate per 100,000 population | PHA, LGA, PHN | 2014/15 |
| Hospital admissions by procedure type | | | 2014/15 |
| Admissions for a tonsillectomy and/or adenoidectomy - Public/All hospitals | Rate per 100,000 population | PHA, LGA, PHN | 2014/15 |
| Admissions for a myringotomy, aged 0 to 9 yrs - Public/All hospitals | Rate per 100,000 population, aged 0-9 yrs | PHA, LGA, PHN | 2014/15 |
| Admissions for a hysterectomy, females aged 30 to 59 yrs - Public/All hospitals | Rate per 100,000 population, females aged 30-59 yrs | PHA, LGA | 2014/15 |
| Admissions for a Caesarean section, females aged 15 to 44 yrs - Public/All hospitals | Rate per 100 women admitted for a birth, aged 15-44 yrs | PHA, LGA, PHN | 2014/15 |
| Admissions for a birth with an outcome of delivery, females aged 15 to 44 yrs - Public/All hospitals | | PHA, LGA, PHN | 2014/15 |
| Admissions for coronary artery bypass graft - Public/All hospitals | Rate per 100,000 females, aged 15-44 yrs | PHA, LGA, PHN | 2014/15 |
| Admissions for coronary angioplasty - Public/All hospitals | Rate per 100,000 population | PHA, LGA, PHN | 2014/15 |
| Admissions for cardiac catheterisation - Public/All hospitals | Rate per 100,000 population | PHA, LGA, PHN | 2014/15 |

| Topic/ Indicator | Indicator detail | Geography | Time period |
|--|-----------------------------|---------------|-------------|
| Admissions for hip fracture - Public/All hospitals | Rate per 100,000 population | PHA, LGA, PHN | 2014/15 |
| Admissions for knee replacement - Public/All hospitals | Rate per 100,000 population | PHA, LGA, PHN | 2014/15 |
| Admissions for knee arthroscopy - Public/All hospitals | Rate per 100,000 population | PHA, LGA, PHN | 2014/15 |
| Admissions for fibre optic colonoscopy - Public/All hospitals | Rate per 100,000 population | PHA, LGA, PHN | 2014/15 |
| Admissions for fibre optic colonoscopy excision - Public/All hospitals | Rate per 100,000 population | PHA, LGA, PHN | 2014/15 |
| Same-day hospital admissions for renal dialysis | | | |
| Admissions for same-day dialysis for kidney disease - Public/ All hospitals | Rate per 100,000 population | PHA, LGA, PHN | 2014/15 |
| Potentially preventable hospitalisations - All conditions | | | |
| Admissions for all potentially preventable conditions – Public/All hospitals | Rate per 100,000 population | PHA, LGA, PHN | 2014/15 |
| Potentially preventable hospitalisations – Vaccine-preventable conditions | | | |
| Admissions for vaccine-preventable conditions - pneumonia and influenza - Public/All hospitals | Rate per 100,000 population | PHA, LGA, PHN | 2014/15 |
| Admissions for vaccine-preventable conditions - other - Public/All hospitals | Rate per 100,000 population | PHA, LGA, PHN | 2014/15 |
| Admissions for total vaccine-preventable conditions - Public hospitals | Rate per 100,000 population | PHA, LGA, PHN | 2014/15 |
| Admissions for acute cellulitis - Public/All hospitals | Rate per 100,000 population | PHA, LGA, PHN | 2014/15 |
| Admissions for acute convulsions and epilepsy - Public/All hospitals | Rate per 100,000 population | PHA, LGA, PHN | 2014/15 |
| Admissions for acute dental conditions - Public/All hospitals | Rate per 100,000 population | PHA, LGA, PHN | 2014/15 |
| Admissions for acute ear, nose and throat infections - Public/All hospitals | Rate per 100,000 population | PHA, LGA, PHN | 2014/15 |
| Admissions for acute urinary tract infections, including pyelonephritis - Public/All hospitals | Rate per 100,000 population | PHA, LGA, PHN | 2014/15 |
| Admissions for other acute conditions - Public/All hospitals | Rate per 100,000 population | PHA, LGA, PHN | 2014/15 |
| Admissions for total acute conditions - Public/All hospitals | Rate per 100,000 population | PHA, LGA, PHN | 2014/15 |
| Potentially preventable hospitalisations – Acute conditions | | | |
| Admissions for acute cellulitis - Public/All hospitals | Rate per 100,000 population | PHA, LGA, PHN | 2014/15 |
| Admissions for acute convulsions and epilepsy - Public/All hospitals | Rate per 100,000 population | PHA, LGA, PHN | 2014/15 |
| Admissions for acute dental conditions - Public/All hospitals | Rate per 100,000 population | PHA, LGA, PHN | 2014/15 |
| Admissions for acute ear, nose and throat infections - Public/All hospitals | | | |

| Topic/ Indicator | Indicator detail | Geography | Time period |
|--|--|---------------|-------------|
| Admissions for acute urinary tract infections, including pyelonephritis - Public/All hospitals | Rate per 100,000 population | PHA, LGA, PHN | 2014/15 |
| Admissions for other acute conditions - Public/All hospitals | | | |
| Admissions for total acute conditions - Public/All hospitals | Rate per 100,000 population | PHA, LGA, PHN | 2014/15 |
| Potentially preventable hospitalisations - Chronic conditions | | | |
| Admissions for chronic angina - Public/All hospitals | Rate per 100,000 population | PHA, LGA, PHN | 2014/15 |
| Admissions for chronic asthma - Public/All hospitals | Rate per 100,000 population | PHA, LGA, PHN | 2014/15 |
| Admissions for chronic congestive cardiac failure - Public/All hospitals | Rate per 100,000 population | PHA, LGA, PHN | 2014/15 |
| Admissions for chronic COPD - Public/All hospitals | Rate per 100,000 population | PHA, LGA, PHN | 2014/15 |
| Admissions for chronic diabetes complications - Public/All hospitals | Rate per 100,000 population | PHA, LGA, PHN | 2014/15 |
| Admissions for chronic iron deficiency anaemia - Public/All hospitals | Rate per 100,000 population | PHA, LGA, PHN | 2014/15 |
| Admissions for other chronic conditions - Public/All hospitals | Rate per 100,000 population | PHA, LGA, PHN | 2014/15 |
| Admissions for total chronic conditions - Public/All hospitals | Rate per 100,000 population | PHA, LGA, PHN | 2014/15 |
| Emergency department presentations | | | |
| Emergency department presentations | Rate per 100,000 population | PHA, LGA, PHN | 2012/13 |
| Private health insurance cover (modelled estimate) | | | |
| Private health insurance cover | Estimated number of people, aged 18 years and over, with private health insurance hospital cover | PHA, LGA, PHN | 2014–15 |

Notes: Topics and indicators noted as 'Archived' are available at <http://www.phidu.torrens.edu.au/social-health-atlases/data-archive>
Metadata are available via the MS Excel workbooks; or by accessing the individual notes – for further information, refer to;
<http://phidu.torrens.edu.au/help-and-information/help-guides-and-faq/accessing-the-notes-on-the-data>

2. National Data held by Indigenous Area (IARE): Aboriginal and Torres Strait Islander Atlas

| Topic/ Indicator | Indicator detail | Geography | Time period |
|---|--|-----------|--------------------|
| Population demographics | | | |
| Age distribution | | | |
| Age distribution: Aboriginal population (Usual Resident Population) | Age in 5 year groups, 0-4 to 65+ years: Males/Females/Persons | IARE | 2016 |
| Indigenous status | Aboriginal population as per cent of total Usual Resident Population | IARE | 2016 |
| Aboriginal and total population: 5 year age groups | Aboriginal population as per cent of total Usual Resident Population by 5 year age groups: 0 to 65+ years | IARE | 2016 |
| Fertility (Archived) | Total fertility rate | IARE | 2004–2007 |
| Social indicators | | | |
| Aboriginal education | | | |
| Secondary school | Full-time participation in secondary school education at age 16 | IARE | 2016 |
| VET –Vocational education & training subjects | Participation of Aboriginal students in vocational education & training | IARE | 2015 |
| VET – Load pass rate of vocational education & training subjects | Load pass rate of Aboriginal students undertaking vocational education and training subjects | IARE | 2015 |
| VET – Government-funded vocational education & training | Aboriginal students in government-funded vocational education & training | IARE | 2015 |
| Aboriginal early childhood development: <i>in process of being updated</i> | | | |
| Australian Early Development Census (AEDC*) | | | |
| - Developmentally vulnerable on one or more domains | Aboriginal children assessed as developmentally vulnerable on one or more domains | IARE | 2009/ 2012/ 2015 |
| - Developmentally vulnerable on two or more domains | Aboriginal children assessed as developmentally vulnerable on two or more domains | IARE | 2009/ 2012/ 2015 |
| - Physical health and wellbeing domain | Aboriginal children assessed as developmentally vulnerable in the physical health and wellbeing domain | IARE | 2009/ 2012/ 201512 |
| - Social competence domain | Aboriginal children assessed as developmentally vulnerable in the social competence domain | IARE | 2009/ 2012/ 201512 |
| - Emotional maturity | Aboriginal children assessed developmentally vulnerable in the emotional maturity domain | IARE | 2009/ 2012/ 201512 |
| - Language and cognitive skills (schools-based) domain | Aboriginal children assessed as developmentally vulnerable in the language and cognitive skills (schools-based) domain | IARE | 2009/ 2012/ 2015 |
| - Communication skills and general knowledge domain | Aboriginal children assessed as developmentally vulnerable in the communication skills and general knowledge domain | IARE | 2009/ 2012/ 2015 |
| *Previously the Australian Early Development Index | | | |

| Topic/ Indicator | Indicator detail | Geography | Time period |
|--|--|-----------|-------------|
| Aboriginal families | | | |
| Single parent families | Single parent families with children aged less than 15 years | IARE | 2016 |
| Low income families | Low income families | IARE | 2016 |
| Jobless families | Jobless families with children aged less than 15 years | IARE | 2016 |
| Children aged less than 15 years in jobless families | Children aged less than 15 years in jobless families | IARE | 2016 |
| Aboriginal housing | | | |
| Housing authority dwellings being rented by Aboriginal households | Private dwellings rented by Aboriginal households from the government housing authority | IARE | 2016 |
| Dwellings being rented from a housing co-operative, community or church group by Aboriginal households | Private dwellings rented by Aboriginal households from a housing co-operative, community or church group | IARE | 2016 |
| Housing suitability | Private dwellings with Aboriginal households requiring one or more extra bedrooms | IARE | 2016 |
| Internet access at dwellings with Aboriginal households | | | |
| All Aboriginal households: Internet not accessed at dwelling | Private dwellings with Aboriginal households, where Internet was not accessed | IARE | 2016 |
| All Aboriginal households: Internet accessed at dwelling | Private dwellings with Aboriginal households, where Internet was accessed | IARE | 2016 |
| Aboriginal households with children: Internet not accessed at dwelling | Private dwellings with Aboriginal households with children, where Internet was not accessed | IARE | 2016 |
| Aboriginal households with children: Internet accessed at dwelling | Private dwellings with Aboriginal households with children, where Internet was accessed | IARE | 2016 |
| Aboriginal labour force | | | |
| Unemployment | Unemployment | IARE | 2016 |
| Female labour force participation | Female labour force participation | IARE | 2016 |
| Summary measure of Indigenous outcomes | | | |
| | Indigenous Relative Socioeconomic Outcomes index | IARE | 2011 |
| Aboriginal mothers & babies | | | |
| Smoking during pregnancy | Aboriginal women smoking during a pregnancy | IARE | 2012–2014 |
| Low birth weight babies | Low birthweight babies | IARE | 2012–2014 |
| Aboriginal immunisation | | | |
| Aboriginal children fully immunised at 1 year of age | Aboriginal children fully immunised at 1 year of age | IARE | 2015 |
| Aboriginal children fully immunised at 2 years of age | Aboriginal children fully immunised at 2 years of age | IARE | 2015 |
| Aboriginal children fully immunised at 5 years of age | Aboriginal children fully immunised at 5 years of age | IARE | 2015 |
| Health status, disability and death | | | |
| Disability | | | |
| Profound or severe disability | Estimated number of Aboriginal people living in the community with a profound or severe disability | IARE | 2016 |

| Topic/ Indicator | Indicator detail | Geography | Time period |
|--|--|-----------|-------------|
| Assistance to people with a disability (unpaid) | Unpaid assistance provided by Aboriginal people aged 15 yrs & over to persons with a disability | IARE | 2016 |
| Aboriginal median age at death: <i>in process of being updated</i> | | | |
| Median age at death of males | Median age at death of Aboriginal males | IARE | 2011–15 |
| Median age at death of females | Median age at death of Aboriginal females | IARE | 2011–15 |
| Median age at death of persons | Median age at death of Aboriginal persons | IARE | 2011–15 |
| Aboriginal premature mortality, by sex: <i>in process of being updated</i> | | | |
| Deaths of Aboriginal males aged 0 to 54 yrs | Deaths of Aboriginal males aged 0 to 54 yrs (NSW, Qld, SA, WA & NT) | IARE | 2011–15 |
| Deaths of Aboriginal females aged 0 to 54 yrs | Deaths of Aboriginal females aged 0 to 54 yrs (NSW, Qld, SA, WA & NT) | IARE | 2011–15 |
| Deaths of Aboriginal persons aged 0 to 54 yrs | Deaths of Aboriginal persons aged 0 to 54 yrs (NSW, Qld, SA, WA & NT) | IARE | 2011–15 |
| Deaths of Aboriginal males aged 0 to 64 yrs | Deaths of Aboriginal males aged 0 to 64 yrs (NSW, Qld, SA, WA & NT) | IARE | 2011–15 |
| Deaths of Aboriginal females aged 0 to 64 yrs | Deaths of Aboriginal females aged 0 to 64 yrs (NSW, Qld, SA, WA & NT) | IARE | 2011–15 |
| Deaths of Aboriginal people aged 0 to 64 yrs | Deaths of Aboriginal persons aged 0 to 64 yrs (NSW, Qld, SA, WA & NT) | IARE | 2011–15 |
| Deaths of Aboriginal males aged 0 to 74 yrs | Deaths of Aboriginal males aged 0 to 74 yrs (NSW, Qld, SA, WA & NT) | IARE | 2011–15 |
| Deaths of Aboriginal females aged 0 to 74 yrs | Deaths of Aboriginal females aged 0 to 74 yrs (NSW, Qld, SA, WA & NT) | IARE | 2011–15 |
| Deaths of Aboriginal people aged 0 to 74 yrs | Deaths of Aboriginal persons aged 0 to 74 yrs (NSW, Qld, SA, WA & NT) | IARE | 2011–15 |
| Aboriginal premature mortality, by selected cause: <i>in process of being updated</i> | | | |
| Deaths from cancer, Aboriginal persons aged 0 to 54 yrs | Deaths from cancer, Aboriginal persons aged 0 to 54 yrs (NSW, Qld, SA, WA & NT) | IARE | 2011–15 |
| Deaths from circulatory system diseases, Aboriginal persons aged 0 to 54 yrs | Deaths from circulatory system diseases, Aboriginal persons aged 0 to 54 yrs (NSW, Qld, SA, WA & NT) | IARE | 2011–15 |
| Deaths from respiratory system diseases, Aboriginal persons aged 0 to 54 yrs | Deaths from respiratory system diseases, Aboriginal persons aged 0 to 54 yrs (NSW, Qld, SA, WA & NT) | IARE | 2011–15 |
| Deaths from external causes, Aboriginal persons aged 0 to 54 yrs | Deaths from external causes, Aboriginal persons aged 0 to 54 yrs (NSW, Qld, SA, WA & NT) | IARE | 2011–15 |
| Deaths from cancer, Aboriginal persons aged 0 to 64 yrs | Deaths from cancer, Aboriginal persons aged 0 to 64 yrs (NSW, Qld, SA, WA & NT) | IARE | 2011–15 |
| Deaths from circulatory system diseases, Aboriginal persons aged 0 to 64 yrs | Deaths from circulatory system diseases, Aboriginal persons aged 0 to 64 yrs (NSW, Qld, SA, WA & NT) | IARE | 2011–15 |
| Deaths from respiratory system diseases, Aboriginal persons aged 0 to 64 yrs | Deaths from respiratory system diseases, Aboriginal persons aged 0 to 64 yrs (NSW, Qld, SA, WA & NT) | IARE | 2011–15 |

| Topic/ Indicator | Indicator detail | Geography | Time period |
|--|--|-----------|-------------|
| Deaths from external causes, Aboriginal persons aged 0 to 64 yrs | Deaths from external causes, Aboriginal persons aged 0 to 64 yrs (NSW, Qld, SA, WA & NT) | IARE | 2011–15 |
| Deaths from cancer, Aboriginal persons aged 0 to 74 yrs | Deaths from cancer, Aboriginal persons aged 0 to 74 yrs (NSW, Qld, SA, WA & NT) | IARE | 2011–15 |
| Deaths from circulatory system diseases, Aboriginal persons aged 0 to 74 yrs | Deaths from circulatory system diseases, Aboriginal persons aged 0 to 74 yrs (NSW, Qld, SA, WA & NT) | IARE | 2011–15 |
| Deaths from respiratory system diseases, Aboriginal persons aged 0 to 74 yrs | Deaths from respiratory system diseases, Aboriginal persons aged 0 to 74 yrs (NSW, Qld, SA, WA & NT) | IARE | 2011–15 |
| Deaths from external causes, Aboriginal persons aged 0 to 74 yrs | Deaths from external causes, Aboriginal persons aged 0 to 74 yrs (NSW, Qld, SA, WA & NT) | IARE | 2011–15 |

Use of health and welfare services

Home and Community Care Program

| | | | |
|--|---|------|---------|
| Indigenous clients (per total clients) | Indigenous clients as a proportion of total clients | IARE | 2014/15 |
| Indigenous clients (per Indigenous population) | Indigenous clients as a proportion of the Indigenous population | IARE | 2014/15 |

Admissions by sex (excluding same-day admissions for renal dialysis)

| | | | |
|---|--|------|---------|
| Total admissions, Aboriginal persons | Rate per 100,000 Aboriginal population | IARE | 2014/15 |
| Male total admissions, Aboriginal males | Rate per 100,000 Aboriginal population | IARE | 2014/15 |
| Female total admissions, Aboriginal females | Rate per 100,000 Aboriginal population | IARE | 2014/15 |

Admissions by age (excluding same-day admissions for renal dialysis)

| | | | |
|--|--|------|---------|
| Total admissions, Aboriginal persons aged 0 to 14 years | Rate per 100,000 Aboriginal population | IARE | 2014/15 |
| Total admissions, Aboriginal persons aged 15 to 24 years | Rate per 100,000 Aboriginal population | IARE | 2014/15 |
| Total admissions, Aboriginal persons aged 25 to 44 years | Rate per 100,000 Aboriginal population | IARE | 2014/15 |
| Total admissions, Aboriginal persons aged 45 to 64 years | Rate per 100,000 Aboriginal population | IARE | 2014/15 |
| Total admissions, Aboriginal persons aged 65 yrs & over | Rate per 100,000 Aboriginal population | IARE | 2014/15 |
| Total admissions, Aboriginal persons aged 15 yrs & over | Rate per 100,000 Aboriginal population | IARE | 2014/15 |

Aboriginal admissions by selected principal diagnosis

| | | | |
|--|--|------|--------------------|
| Infectious and parasitic diseases, Aboriginal persons | Rate per 100,000 Aboriginal population | IARE | 2012/13 to 2014/15 |
| All cancers, Aboriginal persons | Rate per 100,000 Aboriginal population | IARE | 2012/13 to 2014/15 |
| Blood and blood-forming organs diseases and certain disorders involving the immune mechanism, Aboriginal persons | Rate per 100,000 Aboriginal population | IARE | 2012/13 to 2014/15 |
| Endocrine, nutritional and metabolic diseases, Aboriginal persons | Rate per 100,000 Aboriginal population | IARE | 2012/13 to 2014/15 |
| Mental health related conditions, Aboriginal persons | Rate per 100,000 Aboriginal population | IARE | 2012/13 to 2014/15 |
| Nervous system diseases, Aboriginal persons | Rate per 100,000 Aboriginal population | IARE | 2012/13 to 2014/15 |

| Topic/ Indicator | Indicator detail | Geography | Time period |
|--|--|-----------|--------------------|
| Eye and adnexa diseases, Aboriginal persons | Rate per 100,000 Aboriginal population | IARE | 2012/13 to 2014/15 |
| Ear and mastoid process diseases, Aboriginal persons | Rate per 100,000 Aboriginal population | IARE | 2012/13 to 2014/15 |
| Circulatory system diseases, Aboriginal persons | Rate per 100,000 Aboriginal population | IARE | 2012/13 to 2014/15 |
| Respiratory system diseases, Aboriginal persons | Rate per 100,000 Aboriginal population | IARE | 2012/13 to 2014/15 |
| Digestive system diseases, Aboriginal persons | Rate per 100,000 Aboriginal population | IARE | 2012/13 to 2014/15 |
| Skin and subcutaneous tissue diseases, Aboriginal persons | Rate per 100,000 Aboriginal population | IARE | 2012/13 to 2014/15 |
| Musculoskeletal system and connective tissue diseases, Aboriginal persons | Rate per 100,000 Aboriginal population | IARE | 2012/13 to 2014/15 |
| Genitourinary system diseases, Aboriginal persons | Rate per 100,000 Aboriginal population | IARE | 2012/13 to 2014/15 |
| Pregnancy, childbirth and the puerperium, Aboriginal females aged 15 to 44 years | Rate per 100,000 Aboriginal population | IARE | 2012/13 to 2014/15 |
| Certain conditions originating in the perinatal period, Aboriginal persons | Rate per 100,000 Aboriginal population | IARE | 2012/13 to 2014/15 |
| Injury, poisoning and other external causes, Aboriginal persons | Rate per 100,000 Aboriginal population | IARE | 2012/13 to 2014/15 |
| Infectious and parasitic diseases, Aboriginal persons | Rate per 100,000 Aboriginal population | IARE | 2012/13 to 2014/15 |

Aboriginal admissions by selected principal diagnosis and age

| | | | |
|--|---|------|--------------------|
| Infectious and parasitic diseases, Aboriginal persons aged 0 to 14 years | Rate per 100,000 Aboriginal population aged 0 to 14 years | IARE | 2012/13 to 2014/15 |
| Infectious and parasitic diseases, Aboriginal persons aged 15 years and over | Rate per 100,000 Aboriginal population aged 15 years and over | IARE | 2012/13 to 2014/15 |
| Respiratory system diseases, Aboriginal persons aged 0 to 14 years | Rate per 100,000 Aboriginal population aged 0 to 14 years | IARE | 2012/13 to 2014/15 |
| Respiratory system diseases, Aboriginal persons aged 15 years and over | Rate per 100,000 Aboriginal population aged 15 years and over | IARE | 2012/13 to 2014/15 |
| Digestive system diseases, Aboriginal persons aged 0 to 14 years | Rate per 100,000 Aboriginal population aged 0 to 14 years | IARE | 2012/13 to 2014/15 |
| Digestive system diseases, Aboriginal persons aged 15 years and over | Rate per 100,000 Aboriginal population aged 15 years and over | IARE | 2012/13 to 2014/15 |
| Skin and subcutaneous tissue diseases, Aboriginal persons aged 0 to 14 years | Rate per 100,000 Aboriginal population aged 0 to 14 years | IARE | 2012/13 to 2014/15 |
| Skin and subcutaneous tissue diseases, Aboriginal persons aged 15 years and over | Rate per 100,000 Aboriginal population aged 15 years and over | IARE | 2012/13 to 2014/15 |

| Topic/ Indicator | Indicator detail | Geography | Time period |
|--|---|------------------|--------------------|
| Injury, poisoning and other external causes, Aboriginal persons aged 0 to 14 years | Rate per 100,000 Aboriginal population aged 0 to 14 years | IARE | 2012/13 to 2014/15 |
| Injury, poisoning and other external causes, Aboriginal persons aged 15 years and over | Rate per 100,000 Aboriginal population aged 15 years and over | IARE | 2012/13 to 2014/15 |
| Same-day admissions for renal dialysis | | | |
| Same-day dialysis admissions for kidney disease, Aboriginal persons | Rate per 100,000 Aboriginal population | IARE | 2012/13 to 2014/15 |
| Same-day admissions for renal dialysis | | | |
| Same-day dialysis admissions for kidney disease, Aboriginal persons | Rate per 100,000 Aboriginal population | IARE | 2012/13 to 2014/15 |
| Potentially preventable hospitalisations | | | |
| Admissions for potentially preventable conditions, Aboriginal persons | Rate per 100,000 Aboriginal population | IARE | 2012/13 to 2014/15 |
| Potentially preventable hospitalisations by age | | | |
| Admissions for potentially preventable conditions, Aboriginal persons aged 0 to 14 years | Rate per 100,000 Aboriginal population aged 0 to 14 years | IARE | 2012/13 to 2014/15 |
| Admissions for potentially preventable conditions, Aboriginal persons aged 15 to 24 years | Rate per 100,000 Aboriginal population aged 15 to 24 years | IARE | 2012/13 to 2014/15 |
| Admissions for potentially preventable conditions, Aboriginal persons aged 25 to 44 years | Rate per 100,000 Aboriginal population aged 25 to 44 years | IARE | 2012/13 to 2014/15 |
| Admissions for potentially preventable conditions, Aboriginal persons aged 45 to 64 years | Rate per 100,000 Aboriginal population aged 45 to 64 years | IARE | 2012/13 to 2014/15 |
| Admissions for potentially preventable conditions, Aboriginal persons aged 65 years and over | Rate per 100,000 Aboriginal population aged 65 years and over | IARE | 2012/13 to 2014/15 |
| Admissions for potentially preventable conditions, Aboriginal persons aged 15 years and over | Rate per 100,000 Aboriginal population aged 15 years and over | IARE | 2012/13 to 2014/15 |
| Potentially preventable hospitalisations - Vaccine-preventable conditions | | | |
| Total vaccine-preventable conditions, Aboriginal persons | Rate per 100,000 Aboriginal population | IARE | 2012/13 to 2014/15 |
| Potentially preventable hospitalisations - Acute conditions | | | |
| Total acute conditions, Aboriginal persons | Rate per 100,000 Aboriginal population | IARE | 2012/13 to 2014/15 |
| Acute cellulitis, Aboriginal persons | Rate per 100,000 Aboriginal population | IARE | 2012/13 to 2014/15 |
| Acute convulsions and epilepsy, Aboriginal persons | Rate per 100,000 Aboriginal population | IARE | 2012/13 to 2014/15 |
| Acute dental conditions, Aboriginal persons | Rate per 100,000 Aboriginal population | IARE | 2012/13 to 2014/15 |
| Acute ear, nose and throat infections, Aboriginal persons | Rate per 100,000 Aboriginal population | IARE | 2012/13 to 2014/15 |

| Topic/ Indicator | Indicator detail | Geography | Time period |
|--|--|-----------|--------------------|
| Acute urinary tract infections, including pyelonephritis, Aboriginal persons | Rate per 100,000 Aboriginal population | IARE | 2012/13 to 2014/15 |
| Potentially preventable hospitalisations - Chronic conditions | | | |
| Total chronic conditions, Aboriginal persons | Rate per 100,000 Aboriginal population | IARE | 2012/13 to 2014/15 |
| Chronic Obstructive Pulmonary Disease (COPD), Aboriginal persons | Rate per 100,000 Aboriginal population | IARE | 2012/13 to 2014/15 |
| Chronic diabetes complications, Aboriginal persons | Rate per 100,000 Aboriginal population | IARE | 2012/13 to 2014/15 |

Notes: Topics and indicators noted as 'Archived' are available at <http://www.phidu.torrens.edu.au/social-health-atlases/data-archive>
 Metadata are available via the MS Excel workbooks; or by accessing the individual notes – for further information, refer to;
<http://phidu.torrens.edu.au/help-and-information/help-guides-and-faq/accessing-the-notes-on-the-data>