PROFILE OF NEIGHBOURHOOD AREAS, BY INDICATOR

The following charts (Figure 6) show the proportion, rate or ratio for each of the indicators for each SLA in CNAHS. Refer to the next section for more detailed information on each indicator.

Figure 6: Profile of neighbourhood areas, by indicator, CNAHS, 2001

Demography and socioeconomic status



Young people aged 15 to 24 years

CNAHS – 13.8%



People aged 65 years and over

CNAHS – 14.7%



Total Fertility Rate

CNAHS – 1.61



Single parent families

CNAHS – 11.5%



Low income families

CNAHS – 23.1%



Jobless families

CNAHS – 20.4%



Unemployment

CNAHS – 6.9%



Unskilled and semi-skilled workers

CNAHS – 17.4%



Female labour force participation

CNAHS – 65.8%



Secondary education participation at age 16 years

CNAHS – 80.1%



Use of the Internet at home

CNAHS – 26.7%



Aboriginal and Torres Strait Islander people

CNAHS – 1.1%



Overseas born: resident for five years or more

CNAHS – 12.5%



Overseas born: resident for less than five years

CNAHS – 1.4%



Overseas born: poor proficiency in English

CNAHS – 3.0%



Public rental dwellings (SAHT)

CNAHS – 8.7%



Rent assistance

CNAHS – 12.3%



Dwellings without a motor vehicle

CNAHS – 11.6%



The summary measure of disadvantage shown here is the Index of Relative Socio-Economic Disadvantage – it is based on a score of 1000 for South Australia. The lower the index numbers the greater the disadvantage of the area, relative to South Australia as a whole.

Income support

Summary measure of disadvantage: index numbers below 1000 show greater disadvantage

CNAHS – 996



Age pensioners

CNAHS – 71.3%



Disability support pensioners

CNAHS – 7.0%



Female sole parent pensioners

CNAHS – 7.8%



People receiving an unemployment benefit

CNAHS – 4.9%



Children in welfare-dependent and other low income families

CNAHS – 38.4%



Low birthweight babies

CNAHS – 7.0%



Pregnancy outcomes: high risk of poor perinatal outcome

CNAHS – Not high risk



Termination of pregnancy

CNAHS – 113 (SR)



Women smoking during pregnancy

CNAHS – 98 (SR)



Immunisation status at one year

CNAHS – 94.6%



Overweight (not obese) four year old boys

CNAHS – 11.4%



Obese four year old boys

CNAHS – 4.7%



Twelve year olds with no decayed, missing or filled teeth

CNAHS – 60.9%



Estimated prevalence of respiratory system diseases

CNAHS – 99 (SR)



Estimated prevalence of asthma

CNAHS – 99 (SR)



Estimated prevalence of circulatory system diseases

CNAHS – 100 (SR)



Estimated prevalence of diabetes type 2

CNAHS – 102 (SR)



Estimated prevalence of mental and behavioural disorders

CNAHS – 101 (SR)



Estimated prevalence of musculoskeletal system diseases

CNAHS – 100 (SR)



Estimated prevalence of arthritis

CNAHS – 100 (SR)



Estimated prevalence of osteoarthritis

CNAHS – 99 (SR)



Estimated prevalence of female osteoporosis

CNAHS – 101 (SR)



Estimated prevalence of injury

CNAHS – 98 (SR)



Estimated prevalence of very high levels of psychological distress

CNAHS – 104 (SR)



Estimated prevalence of fair or poor health

CNAHS – 102 (SR)



Estimated prevalence of overweight (not obese) males

CNAHS – 100 (SR)



Estimated prevalence of obese males

CNAHS – 101 (SR)



Estimated prevalence of overweight (not obese) females

CNAHS – 99 (SR)



Estimated prevalence of obese females

CNAHS – 102 (SR)



Estimated prevalence of smoking

CNAHS – 100 (SR)



Estimated prevalence of physical inactivity

CNAHS – 101 (SR)



Estimated prevalence of high health risk due to alcohol consumption

CNAHS – 98 (SR)



Cancer incidence: all cancers

CNAHS – 100 (SR)



Cancer incidence: lung cancer

CNAHS – 100 (SR)



Cancer incidence: female breast cancer

CNAHS – 99 (SR)



Cancer incidence: prostate cancer

CNAHS – 100 (SR)



Premature mortality: infant deaths

CNAHS – 4.5 per 1,000 live births



Premature death: males

CNAHS – 98 (SR)



Premature death: females

CNAHS – 99 (SR)



Avoidable mortality

CNAHS – 99 (SR)



Community health service clients

CNAHS – 102 (SR)



Community mental health service clients

CNAHS – 98 (SR)



Child and Adolescent Mental Health Service clients

CNAHS – 78 (SR)



Dept. for Families and Communities' clients

CNAHS – 94 (SR)



Domiciliary care clients

CNAHS – 115 (SR)



Home nursing (RDNS) clients

CNAHS – 93 (SR)



Home delivered meals (Meals on Wheels) clients

CNAHS – 109 (SR)



Breast screening participation

CNAHS – 96 (SR)



Breast screening outcomes: cancer

CNAHS – 104 (SR)



Cervical screening participation

CNAHS – 99 (SR)



Cervical screening outcome: high grade abnormality

CNAHS – 99 (SR)



Cervical screening outcome: low grade abnormality

CNAHS – 99 (SR)



Population per GP

CNAHS – 1,039



GP services to males

CNAHS – 109 (SR)



GP services to females

CNAHS – 107 (SR)



Accident and Emergency department attendances

CNAHS – 98 (SR)



Outpatient department attendances

CNAHS – 100 (SR)



Specialist medical practitioner consultations in outpatient departments

CNAHS – 101 (SR)



Specialist medical practitioner consultations under Medicare

CNAHS – 101 (SR)



Total specialist medical practitioner consultations (in outpatient departments and under Medicare)

CNAHS – 101 (SR)



Private health insurance: hospital cover

CNAHS – 53.1%



Admissions to public acute and private hospitals

CNAHS – 98 (SR)



Admissions to public acute hospitals

CNAHS – 90 (SR)



Admissions to private hospitals

CNAHS – 112 (SR)



Admissions of males

CNAHS – 101 (SR)



Admissions of females

CNAHS – 100 (SR)



Admissions for myringotomy

CNAHS – 103 (SR)



Admissions of females for Caesarean section

CNAHS – 97 (SR)



Admissions of females for hysterectomy

CNAHS – 95 (SR)



Hospital booking lists: people waiting for more than six months

CNAHS – 115 (SR)